

## Towards personalised medicine: One type of data is not enough

June 20 2018



Artist's interpretation of multiple molecular layer analysis. Credit: EMBL-EBI

EMBL researchers have designed a computational method to jointly



analyse multiple types of molecular data from patients in order to identify molecular signatures that distinguish individuals. The method is called Multi-Omics Factor Analysis (MOFA), and was published in *Molecular Systems Biology* today. MOFA could be particularly useful for understanding cancer development, improving diagnosis and suggesting new directions for personalised treatment.

The researchers tested their new <u>method</u> on multi-omics data collected from 200 leukaemia <u>patients</u>. MOFA identified a series of factors that highlight the molecular variability between patients. This information could help researchers understand how cancer develops at an individual level. It could also help steer personalised treatment decisions.

"The big challenge in cancer is that each patient's disease is different from a molecular point of view and has a unique set of molecular features that have led to its development," explains Ricard Argelaguet, Predoctoral Fellow in the Stegle group at the European Bioinformatics Institute (EMBL-EBI). "Our method allows researchers to do something that couldn't be done before—to easily integrate complex molecular data from DNA, RNA, methylation and more to build a tumour's molecular profile. Using these profiles, the method can also stratify patients into groups that may benefit from different types of treatment."

"Our objective was to come up with a method that could easily be used by clinical researchers, so we worked with colleagues from the field to understand their needs and challenges," continues Britta Velten, Predoctoral Fellow in the Huber group at EMBL Heidelberg. "We combined expertise from maths, statistics, machine learning, biology and clinical medicine to come up with a robust and practical method, which will hopefully help researchers in a clinical setting to improve cancer diagnosis and treatment."

In a second application, the researchers also used MOFA to analyse



multi-omics data at single-cell resolution. They are currently working on further improving the method so that it can cope with even larger data sets and additional experimental designs.

## What is multiomics data?

Multi-omics approaches integrate data from the genome, epigenome, transcriptome, metabolome, and other molecular data. These data types have different properties and dimensions and are difficult to integrate into a comprehensive analysis to build an individual's molecular profile.

However, by combining multiple molecular data types (multi-omics), researchers can identify biomarkers—naturally occurring molecules, genes or molecular characteristics associated with a particular disease. Biomarkers are essential for clinical research and can be used to classify patients into different patient groups. By measuring biomarkers, we can understand a patient's disease better and estimate what kind of <u>treatment</u> they will respond to best.

**More information:** Ricard Argelaguet et al, Multi-Omics Factor Analysis—a framework for unsupervised integration of multi-omics data sets, *Molecular Systems Biology* (2018). <u>DOI: 10.15252/msb.20178124</u>

## Provided by European Molecular Biology Laboratory

Citation: Towards personalised medicine: One type of data is not enough (2018, June 20) retrieved 3 May 2024 from <u>https://medicalxpress.com/news/2018-06-personalised-medicine.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.