

# Smart probe detecting cancer cells may improve survival rates

June 25 2018

---



Credit: CC0 Public Domain

A new Tel Aviv University study explores a novel smart probe for image-guided surgery that may dramatically improve post-surgical outcomes for cancer patients.

In many kinds of cancers, it is often not the primary malignant tumor, but rather metastasis—the spread of lingering [cancer](#) cells to other parts of the body—that kills patients. A multidisciplinary team led by Prof. Ronit Satchi-Fainaro of the Department of Physiology and Pharmacology at TAU's Sackler Faculty of Medicine created a smart probe that, when injected into a patient a few hours prior to [surgery](#) to excise a primary tumor, may help surgeons pinpoint where the cancer is situated down to several cancer cells, permitting them to guarantee the removal of more cancer cells than ever before.

"In cases of melanoma and breast cancer, for example, the surgeon may believe he/she has gotten everything—that he/she has excised the entire tumor and left the remaining tissue free of cancer. Even if only a few cells linger after surgery, too few or too small to be detected by MRI or CT, recurrence and metastasis may occur," Prof. Satchi-Fainaro says. "Our new technology can guide the surgeon to completely excise the cancer."

The study was published in *Theranostics* on June 21, 2018.

## **Making cancer cells "glow in the dark"**

The new technique harnesses near-infrared technology to identify the cancer [cells](#). "The probe is a polymer that connects to a fluorescent tag by a linker. This linker is recognized by an enzyme called cathepsin that is overproduced in many cancer types," says Prof. Satchi-Fainaro.

"Cathepsin cleaves the tag from the polymer and turns on its fluorescence at a near-infrared light."

The smart probes may potentially be used to guide the surgeon in real time during tumor excision. The surgeon can also avoid cutting out any "non-glowing" healthy tissue.

The scientists first examined the effect of the probe in the lab on regular healthy skin and mammary tissue, and then on melanoma and [breast cancer cells](#). They subsequently used mouse models of melanoma and [breast cancer](#) to perform routine tumor excision surgeries and smart probe-guided surgeries.

"The mice that underwent regular surgery experienced recurrence and metastasis much sooner and more often than those who underwent our smart probe-guided surgery," says Prof. Satchi-Fainaro. "Most importantly, those which experienced the smart probe surgery survived much longer."

## Decreasing the need for additional surgery

"The [probe](#) may also reduce the need for repeated surgeries in patients with [cancer cells](#) that remain in the edges of removed tissue," Prof. Satchi-Fainaro says. "Altogether, this may lead to the improvement of patient survival rates."

"We are currently designing and developing additional unique polymeric Turn-ON probes for the purpose of image-guided surgery. They can be activated by additional analytes such as reactive oxygen species (ROS), which are overproduced in cancer tissues, or by using other chemiluminescent probes. We are always looking at ways to improve sensitivity and selectivity which are paramount to cancer patients' care."

**More information:** Rachel Blau et al, Image-guided surgery using near-infrared Turn-ON fluorescent nanoprobes for precise detection of tumor margins, *Theranostics* (2018). [DOI: 10.7150/thno.23853](https://doi.org/10.7150/thno.23853)

Provided by Tel Aviv University

Citation: Smart probe detecting cancer cells may improve survival rates (2018, June 25) retrieved 1 May 2024 from <https://medicalxpress.com/news/2018-06-smart-probe-cancer-cells-survival.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.