


Virus detector based on lifelike interaction

June 1 2018



The lipid bilayer used as a platform for capturing viruses and studying the interaction. The hemagglutinin (HA) is the model virus. Credit: University of Twente

In order to detect an influenza virus successfully, even in small concentrations, you would like to know in what way the virus interacts with healthy cells. Researcher Mark Verheijden of the University of Twente succeeded in mimicking the cell surface on a sensor. In this way the virus is detected in a dynamic environment. This bio-inspired layer can also be used as a biocompatible coating for implants, for example.

To detect the presence of a [virus](#) is one thing, but this doesn't give us much information about the way it affects healthy [cells](#). Whenever we use tests for virus prevention, we need to know how this interaction works. In this way it is also possible to see differences in interaction for humans and animals. The classic detection method is not based on this interaction and the dynamics that go with it. Instead, capturing a virus on a surface that behaves like a cell membrane is preferable. Verheijden succeeded in mimicking this surface.

Bird flu

The layer is a bilayer of lipids: soap molecules that can behave like butter or oil. Verheijden used this basic bilayer to study the effect of Influenza A. This virus can have different effects on humans or birds, for example. And there the interaction with healthy cells comes in: once the virus mutates, it may get dangerous for humans as well. The virus detects specific sugar structures at the cell surfaces and attaches to it. Verheijden added these sugars to the bilayer. As a model for the virus, he chooses hemagglutine (HA), this is the surface protein that binds the

virus. This is a new approach; much is known on viruses, but the actual interaction with cells and the dynamics of their membrane is still not well understood and an area of research.

Organ-on-a-chip

The bioinspired layer can be used for other purposes as well. Implants, for example, can be made biocompatible and show less . In other cases, the layer can be used to keep the surface as clean as possible. On a catheter surface, you would like to interaction. The bilayer can also detected so-called vesicles, as biomarkers in disease processes.

Furthermore, in the rapidly evolving field of organ-on-a-chip systems, the layers are applicable for creating real-life circumstances for the miniature organs.

The lipid bilayer structure is a powerful platform for research on biological interactions and the way these can be steered in a direction. The actual measurement is done by using optical techniques as well as high-precision weighing equipment like quartz crystal microbalance.

More information: M.L. Verheijden. Supramolecular Binding of Vesicles, Viruses and Cells to Biomimetic Lipid Bilayers (2018). [DOI: 10.3990/1.9789036545501](https://doi.org/10.3990/1.9789036545501)

Provided by University of Twente

Citation: Virus detector based on lifelike interaction (2018, June 1) retrieved 24 April 2024 from <https://medicalxpress.com/news/2018-06-virus-detector-based-lifelike-interaction.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.