

Breastfeeding has been the best public health policy throughout history

July 12 2018, by Joan Y. Meek



Credit: AI-generated image ([disclaimer](#))

Breastfeeding has long been the gold standard for infant nutrition. The [American Academy of Pediatrics](#), [American Academy of Family Physicians](#), [American College of Obstetricians and Gynecologists](#), and [World Health Organization](#) all recommend it.

Thus, the recent [New York Times](#) report of U.S. interference in the [World Health Assembly's](#) attempt to adopt the resolution that "mother's milk is healthiest for children and countries should strive to limit the inaccurate or misleading marketing of breast milk substitutes" alarmed many concerned about public [health](#).

As a pediatrician and a nutritionist, I have provided direct patient care to breastfeeding mothers and children and also advocated for breastfeeding policies and practices. The scientific research in [support](#) of breastfeeding is overwhelmingly clear, and most mothers in the U.S. have heard that message and learned from it. [Marketing and sales of infant formula have surged](#) in developing countries, however. That's created a dilemma for the U.S., which has not wanted to restrict the [US\\$70 billion infant formula business](#).

This comes at another price. Lack of breastfeeding worldwide is blamed for [800,000 childhood deaths](#) a year.

Mother's milk, for thousands of years

Direct breastfeeding and exclusive human milk feeding were the only sustainable infant feeding for thousands of years. Initial efforts prior to the 1800s to [provide alternative animal milk sources](#) for infant feeding resulted in greater risk of disease, often from infection, dehydration and malnutrition, as well as death.

The ability to sterilize and evaporate cow's milk in the early 1800s allowed for preparation of alternative infant feedings, however. Throughout the rest of that century, different brands of alternate feedings, almost all based upon cow's milk, proliferated.

The American Medical Association first called for [standards for safety and quality](#) in 1929. With more women working outside of the home

during and after World War II, the use of [infant formula](#) become more common. Formula makers began to market formula as a convenience item to allow for a freer lifestyle and to replace breastfeeding. U.S. [breastfeeding rates](#) began to drop, hitting an all-time low of [24.7 percent initiation](#) in 1971.

Medical professionals were not trained to support breastfeeding at this time, but mothers demanded to reclaim breastfeeding through a grass-roots movement. The resurgence of breastfeeding in the U.S. has been attributed in particular to efforts of founders of [La Leche League International](#).

In 1981, the World Health Organization adopted the [International Code of Marketing of Breast-milk Substitutes](#). All participants of the United Nations-affiliated World Health Assembly support breastfeeding and limit the marketing of alternative feedings, or infant formula, except the U.S.

The code restricts inappropriate marketing of infant formula to families and prevents formula companies from providing free formula to consumers or health care facilities. The code also calls upon all countries to enact legislation to enforce it. The code specifically does not restrict access to formula to those families who need or request to use it.

Also, the [International Baby Food Action Network](#) was formed to protect a mother's right to breastfeed and an infant's right to be breastfed, as well as to monitor compliance with the code. The WHO and UNICEF subsequently developed "[The Innocenti Declaration on the Protection, Promotion and Support of Breastfeeding](#)" in support of maternal and child health in 1990.

Among [infants](#) born in the U.S. in 2014, the most recent national data available, [82.5 percent were breastfed initially](#), but disparities existed

based upon socioeconomic and demographic status.



Credit: AI-generated image ([disclaimer](#))

A [Lancet series on breastfeeding](#) indicated that six- and 12-month continuation rates for breastfeeding remain low in most countries. The [WHO Global Breastfeeding Scorecard](#) also shows that no country is highly compliant on all indicators that monitor support and protection of breastfeeding.

Why breastfeeding matters

The [benefits of breastfeeding](#) for children and mothers are irrefutable. Initiation of skin-to-skin contact immediately after delivery, with early

onset of breastfeeding within the first hour of life, supports newborn stability and provides protective [immunoglobulins](#), especially secretory IgA, and other immune protective factors. Human milk provides [human milk oligosaccharides](#), facilitating the colonization of the intestinal tract with [probiotics](#) and establishing a [microbiome](#) that protects against [pathogenic](#) bacteria.

In contrast, formula-fed infants face higher rates of gastrointestinal diseases, respiratory infections and a higher likelihood of sudden infant death syndrome. Longer term, they have a higher risk of obesity, type 2 diabetes, asthma and certain childhood cancers when compared to breastfed cohorts.

Also, mothers who fail to breastfeed according to current recommendations face higher [risks](#) of postpartum hemorrhage, breast cancer, ovarian cancer, obesity, type 2 diabetes and [heart disease](#), including hypertension and myocardial infarction, or heart attack. About 20,000 cases of preventable death from maternal cases of breast cancer are attributed to lack of breastfeeding, according to the [Lancet series](#).

Some of the poorest countries have the lowest breastfeeding initiation and duration and could gain the most in terms of health impact and [economic benefit](#) from improving breastfeeding rates.

What has the US done to support breastfeeding?

Partnership between governmental and nongovernmental agencies resulted in the formal designation of the [United States Breastfeeding Committee](#) in response to "The Innocenti Declaration." The Department of Health and Human Services developed a [mass media campaign](#) in 2008 to support and promote breastfeeding.

In 2011, the [U.S. Surgeon General's Call to Action to Support](#)

[Breastfeeding](#) recognized key elements required to support breastfeeding, including health care, families, communities and employment. The Centers for Disease Control and Prevention has supported quality improvement initiatives aimed at changing [maternity care practices](#) to better support and promote breastfeeding. Breastfeeding efforts at the community level have involved obesity prevention efforts.

Influence of infant formula makers

As more infants were breastfed in the U.S., formula makers turned their sights to developing countries. This contributed to a [global decline](#) in breastfeeding rates, similar to that seen in the U.S.

[Infants in developing countries](#) face the greatest risk from malnutrition, diarrhea, dehydration and death when fed formula that is contaminated by bacteria or parasites from unclean sources of water, or when bottles or nipples are not cleaned regularly in hot, soapy water. Diarrheal diseases and resultant dehydration are a leading cause of death in infants in poor countries, where breastfeeding may be lifesaving.

Good quality infant formula can be necessary and lifesaving when mother's milk is not an option and pasteurized donor human milk is not available. However, the formula industry stands to gain the most financially when breastfeeding fails. The [formula](#) industry should not be influencing public health policy. The U.S. delegates to the World Health Assembly must lead the way in support of health policies based upon science.

As a member of the global community advocating for optimal public health and improving maternal child health outcomes, the U.S., I believe, bears responsibility to support evidence-based practices. In the area of breastfeeding support, the U.S. lags behind other resource-rich nations

with a lack of universal health care, lack of paid maternity leave, and employment policies that do not provide universal support for employed mothers to continue [breastfeeding](#).

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Citation: Breastfeeding has been the best public health policy throughout history (2018, July 12) retrieved 24 April 2024 from

<https://medicalxpress.com/news/2018-07-breastfeeding-health-policy-history.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--