

Content of illicit cannabis to treat kids with epilepsy revealed

July 5 2018



Credit: CC0 Public Domain

A study of community use of medicinal cannabis to treat childhood epilepsy has found most samples contained some THC and little CBD, contrary to parents' expectations, and a majority were reported as

reducing seizures.

A pioneering study has found Australian parents who turned to medicinal cannabis to treat their children with [epilepsy](#) overwhelmingly (75 percent) considered the extracts as "effective." Contrary to parental expectations, extracts generally contained low doses of cannabidiol (CBD) – commonly considered to be a key therapeutic element and that has been successfully used in recent clinical trials to treat epilepsy.

The research, which was commenced two years ago by the University of Sydney's Lambert Initiative for Cannabinoid Therapeutics, not only sheds light on the composition of cannabis used in the community but also reveals the legal, bureaucratic, and cost issues faced by families relying on the products as well as demonstrating the barriers preventing some from accessing medicinal cannabis.

The study found that the main psychoactive ingredient in cannabis, tetrahydrocannabinol (THC), and the closely related compound THCA, were present in most extracts, although the quantity was generally not enough to produce intoxicating effects. Just over half the extracts were associated with a seizure reduction of 75-100 percent, which reinforces observations from animal studies and case reports of anticonvulsant effects of THC and THCA. As well, 65 percent were associated with other beneficial effects like improved cognition (35 percent) and language skills (24 percent).

The findings are published today in *Scientific Reports*.

Lead author and Ph.D. candidate with the Lambert Initiative at the Brain and Mind Centre, Ms Anastasia Suraev, said just under half the families using medicinal cannabis reduced their antiepileptic medication.

"Our findings highlight the huge unmet clinical need in the management

of treatment-resistant epilepsy in childhood," said Ms Suraev, from the School of Psychology.

Corresponding author and academic director of the Lambert Initiative, Professor Iain McGregor, said: "Although the illicit extracts we analysed contained low doses of CBD, three in four were reported as 'effective,' demonstrating the importance of researching the [cannabis plant](#) in its entirety for the treatment of epilepsy.

"And despite the overwhelming presence of generally low levels of THC, concentrations did not differ between samples perceived as 'effective' and 'ineffective.'

"Our research indicates there is a potential role for other cannabinoids, alone or in combination with conventional drugs, in treatment-resistant epilepsy – and this warrants further investigation so we can hopefully develop safer and more effective medicines.

More information: A. Suraev et al. Composition and Use of Cannabis Extracts for Childhood Epilepsy in the Australian Community, *Scientific Reports* (2018). [DOI: 10.1038/s41598-018-28127-0](https://doi.org/10.1038/s41598-018-28127-0)

Provided by University of Sydney

Citation: Content of illicit cannabis to treat kids with epilepsy revealed (2018, July 5) retrieved 18 April 2024 from

<https://medicalxpress.com/news/2018-07-content-illicit-cannabis-kids-epilepsy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--