

High incidence of myopia among chinese schoolchildren

July 12 2018



(HealthDay)—The incidence of myopia among Chinese students may be

as high as 20 to 30 percent each year from first grade onward, according to a study published online July 5 in *JAMA Ophthalmology*.

Sean K. Wang, from Sun Yat-sen University in Guangzhou, China, and colleagues performed an observational cohort study to examine the incidence of myopia and high myopia based on refraction without cycloplegia among 4,741 children from 19 primary schools and 22 junior high schools.

The researchers found that baseline mean spherical equivalent refraction (SER) was 0.31 diopters (D) among 1,975 students in grade 1 versus -1.6 D among 2,670 students in grade 7. In grade 1 students, the baseline prevalence of myopia was 12 percent, versus 67.4 percent in grade 7 students. Throughout both cohorts, the incidence of myopia was 20 to 30 percent each year. The incidence of high myopia was 0.1 percent in the primary school cohort and 2.3 percent in the junior high school cohort.

"The incidence of [myopia](#) among Chinese students based on refraction without cycloplegia is among the highest of any cultural or ethnic group," the authors write.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: High incidence of myopia among chinese schoolchildren (2018, July 12) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-07-high-incidence-myopia-chinese-schoolchildren.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.