

# Medical researchers seek eradication of peste des petits ruminants disease

July 31 2018

---



Sheep farmers in Ethiopia. Credit: ENVT, A. Waret-Szkuta

Peste des petits ruminants is a highly contagious disease found in Africa,

Asia and the Middle East, and was recently detected in Bulgaria on the border with Turkey. This highly contagious viral disease affects almost a billion sheep and goats in Africa, the Middle East and Asia. It causes substantial economic losses due to high morbidity and mortality rates. The role of wild ruminants in the spread of the disease is still largely undetermined, but models could be used to understand it better, as with buffalos in Africa.

An article published in the journal *PNAS* on 23 July suggests a model that serves to prioritize zones for vaccination. This is a welcome alternative to [mass vaccination campaigns](#), which are both costly and highly complex to implement.

Eradicating peste des petits [ruminants](#) is an ambitious objective that nevertheless seems increasingly realistic thanks to a targeted vaccination strategy centring on production systems that act as a [virus](#) reservoir. This was the conclusion drawn the study. In theory, the peste des petits ruminants control strategy relies on mass vaccination campaigns. However, although the existing vaccine provides lifelong immunity, such campaigns are both costly and highly complex to implement from a logistical point of view.

The study was initiated by CIRAD and conducted by the Royal Veterinary College (RVC, University of London), in collaboration with Ethiopian and European partners. The researchers combined a dynamic model that simulates virus spread with a national serological study. The information obtained served to assess the level of virus transmission within endemic zones and the vaccine coverage required to halt transmission and eliminate the [disease](#). The results also suggested that some pastoral [production systems](#) act as virus reservoirs from which the virus can spread.

Guillaume Fournié, an epidemiologist at the RVC, says, "Identifying

high-risk populations and adapting vaccination strategies to local situations is vital in order to cut the cost of eradicating the disease while boosting the chances of success."

"Peste des petits ruminants causes huge [economic losses](#) and is a particular threat to the livelihoods and food security of the most vulnerable farmers," François Roger, a CIRAD epidemiologist and co-author of the study, points out. "In view of the limited budgets currently allocated for control of the disease and the numerous constraints in the field, effective decision support tools are vital."

The OIE and FAO, with the support of the European Union in particular, are launching a global programme to eradicate the disease within 15 years. This would make peste des petits ruminants the third infectious disease to be eradicated after smallpox and rinderpest.

**More information:** Guillaume Fournié et al, A dynamic model of transmission and elimination of peste des petits ruminants in Ethiopia, *Proceedings of the National Academy of Sciences* (2018). [DOI: 10.1073/pnas.1711646115](#)

Provided by CIRAD

Citation: Medical researchers seek eradication of peste des petits ruminants disease (2018, July 31) retrieved 1 May 2024 from <https://medicalxpress.com/news/2018-07-medical-eradication-pestes-des-petits.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---