

## New hope for patients with incurable and disabling hand condition, Dupuytren's disease

July 6 2018



Professor Jagdeep Nanchahal examines patient with Dupuytren's disease. Credit: NDORMS

Researchers at the Kennedy Institute and Nuffield Department of



Orthopaedics, Rheumatology and Musculoskeletal Sciences, University of Oxford, working with clinicians at NHS Lothian, have found that injection of the anti-TNF drug adalimumab into Dupuytren's disease nodules results in the reduction of the cell characteristics responsible for progression of Dupuytren's disease.

Based on their laboratory data that tumour necrosis factor (TNF) drives the development of myofibroblasts, the cell type that causes Dupuytren's disease, the research team explored the effect of an anti-TNF drug injected directly into the Dupuytren's nodule tissue. The results so far are very promising.

"Our data have shown that a concentrated formulation of adalimumab injected directly into the <u>diseased tissue</u> may be effective in targeting the cells responsible for Dupuytren's disease," said Jagdeep Nanchahal, MD, Ph.D., University of Oxford Professor of Hand, Plastic and Reconstructive Surgery, who led the study.

"This brings new hope to people who suffer from this disabling condition, who currently have to wait for their situation to be deteriorate, watching their hand lose function until it is bad enough for surgery. And then there's the lengthy recovery ahead, a less than ideal situation to find yourself in."

This randomised trial (phase 2a) recruited 28 patients with Dupuytren's disease who were scheduled to have surgery in Edinburgh to remove diseased tissue in their hand. Two weeks prior to surgery they received a single injection of varying doses of the anti-TNF drug, or placebo. The tissue removed during surgery, which is usually discarded, was then analysed in the laboratory. The team found that adalimumab (at a dose of 40mg formulated in 0.4ml) reduces expression of the fibrotic markers, -smooth muscle actin (-SMA) and type I procollagen, at 2 weeks post injection, suggesting this drug could be used to stop the



growth of disease causing myofibroblast cells. They also found the drug to be safe and well tolerated.

The findings are published on line in the journal *EBioMedicine*, published by *The Lancet*.

Dupuytren's disease is a common condition of the hand that affects 4% of the UK population and causes the fingers to curl irreversibly into the palm. There is currently no NICE approved treatment for early disease and typically people are told to return to their GP once their fingers become so bent that their hand function is impaired.

The anti-TNF drug adalimumab (Humira) is currently licensed in the EU for the treatment of a number of conditions including rheumatoid arthritis, Crohn's disease and ulcerative colitis and overall has an excellent safety profile.

"We are delighted to have received further funding from the Wellcome Trust and Department of Health to test whether adalimumab will work for patients with early stage Dupuytren's disease," said Professor Sir Marc Feldmann, co-author and former director of the Kennedy Institute. In conjunction with Professor Sir Ravinder Maini, Sir Marc identified TNF as a therapeutic target in patients with rheumatoid arthritis.

"The Kennedy Institute has a long history of successfully translating laboratory findings to the clinic'" said Professor Fiona Powrie, Director of the Institute. "This type of work requires close collaboration between laboratory scientists, clinical trialists and clinician scientists over many years".

The researchers are continuing to investigate the use of this <u>drug</u> to treat Dupuytren's <u>disease</u> in a phase 2b trial called the RIDD trial, which is currently running in Oxford and Edinburgh.



More information: *EBioMedicine* (2018). <u>DOI:</u> <u>10.1016/j.ebiom.2018.06.022</u>, <u>www.ebiomedicine.com/article/S</u>... <u>(18)30229-9/fulltext</u>

## Provided by University of Oxford

Citation: New hope for patients with incurable and disabling hand condition, Dupuytren's disease (2018, July 6) retrieved 30 April 2024 from <u>https://medicalxpress.com/news/2018-07-patients-incurable-disabling-condition-dupuytren.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.