

Portable sleep monitoring accurate in heart failure patients

July 24 2018



(HealthDay)—For patients hospitalized with decompensated heart

failure, portable sleep monitoring with respiratory polygraphy can accurately diagnose sleep apnea, according to a study published in the July issue of *CHEST*.

Rashmi Nisha Aurora, M.D., from Johns Hopkins University School of Medicine in Baltimore, and colleagues performed concurrent respiratory polygraphy and polysomnography on 53 hospitalized patients with [decompensated heart failure](#). Using standard criteria, both recordings were scored for obstructive and central disordered breathing events, and the apnea-hypopnea index (AHI) was determined. Concordance between the overall, obstructive, and central-AHI values derived from respiratory polygraphy and polysomnography was assessed.

The researchers found that the correlation coefficient from the two diagnostic methods was 0.94 for the overall-AHI. The average difference in the AHI between the two methods was 3.6 events/hour. Strong concordance between the two methods was seen in analyses of the central and obstructive AHI values, with correlation coefficients of 0.98 and 0.91, respectively. In 89 percent of the sample, there was complete agreement in the classification of [sleep apnea](#) severity.

"Portable sleep monitoring can accurately diagnose sleep apnea in hospitalized heart failure patients and may promote early initiation of treatment," the authors write.

Two authors disclosed financial ties to the medical device industry.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Portable sleep monitoring accurate in heart failure patients (2018, July 24) retrieved 3 May 2024 from <https://medicalxpress.com/news/2018-07-portable-accurate-heart-failure-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.