

Which strategies help cut consumption of sugary beverages in young children?

July 18 2018



Credit: CC0 Public Domain

An *Obesity Reviews* analysis of published studies reveals strategies that can successfully reduce the consumption of sugar-sweetened beverages in young children.



Successful strategies included in-person individual education, in-person group education, passive education (e.g., pamphlets), use of technology, training for childcare/healthcare providers, and changes to the physical access of beverages.

The analysis included 27 studies that were conducted exclusively among children aged 0 to 5 years to reduce consumption of <u>sugar-sweetened</u> <u>beverages</u>.

"Although we've seen some declines in the past decade, sugar-sweetened beverage consumption among <u>young children</u> in the United States remains unacceptably high," said lead author Kelsey Vercammen, of the Harvard T. H Chan School of Public Health. "Since these drinks have been linked to weight gain and other <u>negative health effects</u>, it is critically important to identify successful strategies to reduce consumption."

More information: Obesity Reviews (2018). DOI: 10.1111/obr.12741

Provided by Wiley

Citation: Which strategies help cut consumption of sugary beverages in young children? (2018, July 18) retrieved 5 May 2024 from

https://medicalxpress.com/news/2018-07-strategies-consumption-sugary-beverages-young.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.