

Investigational treatment for acne appears promising in laboratory studies

July 6 2018

Topical retinoids, which target retinoic acid receptors, are commonly used to treat acne. New research published in the *British Journal of Dermatology* reveals that trifarotene, a fourth-generation retinoid with potent and selective activity against only one particular retinoic acid receptor, may have an improved efficacy and safety profile compared with less selective retinoids.

Trifarotene is expected to result in low systemic levels, while retaining strong activity at the <u>skin</u>. This is likely to lead to reduced side effects.

"The pharmacological potency of trifarotene translates from in vitro models to topically treated human skin in vivo, resulting in the modulation of biological pathways that collectively are expected to translate into strong clinical efficacy in acne," said senior author Dr. Johannes Voegel, of Galderma R&D, in France. "As trifarotene is expected to be rapidly eliminated in the blood stream, this drug should be particularly useful for the treatment of large skin surface areas, including the back and chest of acne patients."

More information: J. Aubert et al. Nonclinical and human pharmacology of the potent and selective topical retinoic acid receptor-γ agonist trifarotene, *British Journal of Dermatology* (2018). DOI: 10.1111/bjd.16719



Provided by Wiley

Citation: Investigational treatment for acne appears promising in laboratory studies (2018, July 6) retrieved 17 May 2024 from https://medicalxpress.com/news/2018-07-treatment-acne-laboratory.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.