

Researchers uncover methods to quantify the yips and golfer's cramp

July 19 2018



Credit: CC0 Public Domain

Almost every golfer knows the feeling. Minutes after a picture-perfect drive down the fairway, a cascade of inexplicable missed putts leads to a disappointing triple bogey.

Golfers' lapses in play sometimes are blamed on a mysterious twitching condition called "the yips." But are yips physical or psychological? In a new Mayo Clinic study, published this month in *Medicine & Science in Sports & Exercise*, researchers combined multiple methods to quantify golfers' yips and identify those with a neurological cause.

"These findings are important because they could offer athletes with a type of yips called 'dystonia,' or 'golfer's cramp,' improved treatment options," says Charles Adler, M.D., Ph.D., a Mayo Clinic neurologist and the study's lead author. "Previously, there was no way to identify those with golfer's cramp using quantitative methods."

The yips is a disorder in which golfers complain of an involuntary movement—a twitch, a jerk, a flinch—at the time they putt or even when they chip. This interferes with their ability to perform that activity.

The study examined 27 golfers who all appeared to have the yips before the study. Researchers from Mayo Clinic and Arizona State University videotaped subjects putting 10 times with both hands and 10 putts with the right hand only, with each attempt 10 feet away from the hole. They collected data on wrist and arm movements, putter movements, and whether there was co-contracting muscle activation in the forearm muscles.

When reviewing video of the putts, researchers noted that five golfers had what appeared to be a neurologic cause for their [golfer's](#) cramp. These five golfers had greater acceleration of wrist and arm movement, as well as much more variability in wrist acceleration and rotation.

Nine of the other golfers the researchers examined also had the yips, but their conditions did not appear to be neurologic in nature (not dystonic). The remaining 13 golfers did not experience any yips during their putts. The golfers with a neurologic cause had more putts with the yips and co-

contraction with two hands. They also had no change with the right hand only. In contrast, the other golfers had much fewer putts with the yips and co-contraction with two hands. This was followed by a marked increase in the yips and co-contractions when putting right [hand](#) only.

"More research in this arena is needed, but we are encouraged by our findings," Dr. Adler says. "Hopefully, specific [treatment options](#) will emerge that can help people overcome the yips in golf and other activities."

Provided by Mayo Clinic

Citation: Researchers uncover methods to quantify the yips and golfer's cramp (2018, July 19) retrieved 6 May 2024 from

<https://medicalxpress.com/news/2018-07-uncover-methods-quantify-yips-golfer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--