

Evening preference, lack of sleep associated with higher BMI in people with prediabetes

August 15 2018



Credit: CC0 Public Domain

People with prediabetes who go to bed later, eat meals later and are more active and alert later in the day—those who have an "evening preference"—have higher body mass indices compared with people with

prediabetes who do things earlier in the day, or exhibit morning preference. The higher BMI among people with evening preference is related to their lack of sufficient sleep, according to a University of Illinois at Chicago-led study.

The results of the study—which looked at Asian participants and was led by Dr. Sirimon Reutrakul, associate professor of endocrinology, [diabetes](#) and metabolism in the UIC College of Medicine—are published in the journal *Frontiers in Endocrinology*.

Prediabetes is a condition where blood sugar levels are higher than normal but not yet high enough to be Type 2 diabetes. Without modifications to diet and exercise, patients with prediabetes have a very high risk of developing Type 2 diabetes.

Lack of sufficient sleep has been previously linked to an increased risk for numerous health conditions, including obesity and diabetes. Evening preference has also been linked to higher weight and higher risk for diabetes.

Reutrakul and her colleagues wanted to investigate the relationship between morning/evening preference and BMI—a measure of body fat in relation to height and weight—among people with prediabetes.

"Diabetes is such a widespread disease with such an impact on quality of life, that identifying new lifestyle factors that might play into its development can help us advise patients with an early stage of the disease on things they can do to turn it around and prevent prediabetes from becoming full-blown diabetes," said Reutrakul.

A total of 2,133 participants with prediabetes enrolled in the study. Their morning/evening preference was assessed through a questionnaire.

Participants who scored high in "morningness" answered questions indicating that they preferred to wake up earlier, have activities earlier, and felt more alert earlier in the day compared with those who scored high on "eveningness." Sleep duration and timing were obtained using a questionnaire and the extent of social jet lag was evaluated for each participant. Social jet lag reflects a shift in sleep timing between weekdays and weekends. Greater social jetlag (e.g., larger shift in sleep timing) has previously been shown to be associated with higher BMI in some populations. The average age of the participants was 64 years old, and the average BMI was 25.8 kilograms per meter squared. Average sleep duration was about seven hours per night.

The researchers found that for participants younger than 60 years of age, higher levels of social jet lag were associated with a higher BMI. Among participants older than 60 years old, those with more [evening](#) preference had higher BMIs and this effect was partly due to having insufficient sleep but not [social jet lag](#). Evening [preference](#) was directly associated with higher BMI in this group.

"Timing and duration of sleep are potentially modifiable," said Reutrakul. "People can have more regular bedtimes and aim to have more sleep, which may help reduce BMI and the potential development of diabetes in this high-risk group."

More information: Thunyarat Anothaisintawee et al, The Relationship Among Morningness-Eveningness, Sleep Duration, Social Jetlag, and Body Mass Index in Asian Patients With Prediabetes, *Frontiers in Endocrinology* (2018). [DOI: 10.3389/fendo.2018.00435](https://doi.org/10.3389/fendo.2018.00435)

Provided by University of Illinois at Chicago

Citation: Evening preference, lack of sleep associated with higher BMI in people with prediabetes (2018, August 15) retrieved 28 April 2024 from <https://medicalxpress.com/news/2018-08-evening-lack-higher-bmi-people.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.