

HIV, syphilis screening low with ED-diagnosed PID in adolescents

August 8 2018



(HealthDay)—HIV and syphilis screening rates are low among

adolescents who are diagnosed with pelvic inflammatory disease (PID) in the emergency department, according to a study published in the August issue of *Pediatrics*.

Amanda Jichlinski, M.D., from the Children's National Health System in Washington, D.C., and colleagues used data from the Pediatric Health Information System (2010 to 2015) to identify 10,698 visits to the [emergency department](#) by female adolescents who were diagnosed with PID. The frequency of HIV and syphilis [screening](#) at these visits was assessed.

The researchers found that 22.0 percent of patients underwent HIV screening, and 27.7 percent underwent syphilis screening. Hospitals varied in screening rates for HIV and syphilis from approximately 3 to 60 percent. Screening was more likely to occur in patients who were non-Hispanic African-American (HIV: adjusted odds ratio [aOR], 1.4; syphilis: aOR, 1.8). Screening was also more likely for non-privately insured patients (HIV: publicly insured aOR, 1.3; uninsured aOR, 1.6; syphilis: publicly insured aOR, 1.4; uninsured aOR, 1.6), and admitted [patients](#) (HIV: aOR, 7.0; syphilis: aOR, 4.6), as well as at smaller hospitals (HIV: aOR, 1.4).

"We found low rates of HIV and syphilis screening among adolescents who were diagnosed with PID, with wide variability across hospitals," the authors write.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: HIV, syphilis screening low with ED-diagnosed PID in adolescents (2018, August 8)

retrieved 23 April 2024 from

<https://medicalxpress.com/news/2018-08-hiv-syphilis-screening-ed-diagnosed-pid.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.