

## Obesity worsens skilled nursing facility outcomes after hip Fx

August 2 2018



(HealthDay)—Obesity is associated with worse outcomes in skilled



nursing facility (SNF) residents receiving post-acute care for hip fracture, according to a study published in the June issue of the *Journal* of the American Geriatrics Society.

Cyrus M. Kosar, from Brown University in Providence, R.I., and colleagues examined the effect of obesity using the <u>body mass index</u> (BMI;  $\geq 30.0 \text{ kg/m}^2$ ) on outcomes of 586,683 Medicare fee-for-service beneficiaries admitted to a SNF for hip fracture post-acute care. Residents were classified by <u>obesity status</u>: not obese (BMI 18.5 to 29.9 kg/m<sup>2</sup>), mild obesity (BMI 30.0 to 34.9 kg/m<sup>2</sup>), moderate obesity (BMI 35.0 to 39.9 kg/m<sup>2</sup>), and severe obesity (BMI  $\geq 40.0 \text{ kg/m}^2$ ).

The researchers found that residents with mild (adjusted relative risk [aRR], 1.16), moderate (aRR, 1.27), and severe (aRR,1.67) obesity were more likely to be readmitted within 30 days, compared to those who were not obese. The average difference in length of stay was shorter between residents without obesity and those with mild obesity (2.6 days), moderate obesity (4.2 days), and severe obesity (7.0 days). Discharge was less likely successful for residents with obesity and they were more likely to become long-stay nursing home residents.

"Obesity may be an overlooked risk adjuster in quality-of-care measures and in payment reforms related to PAC for individuals with <a href="https://doi.org/10.2016/journal.org/">https://doi.org/10.2016/journal.org/</a> related to PAC for individuals with <a href="https://doi.org/10.2016/journal.org/">https://doi.org/10.2016/journal.org/</a> related to PAC for individuals with <a href="https://doi.org/10.2016/journal.org/">https://doi.org/10.2016/journal.org/</a> related to PAC for individuals with <a href="https://doi.org/">https://doi.org/</a> related to PAC for individuals with <a href="https://doi.org/">http

One author disclosed financial ties to the long-term care and post-acute care industry.

**More information:** Abstract/Full Text

Copyright © 2018 HealthDay. All rights reserved.



Citation: Obesity worsens skilled nursing facility outcomes after hip Fx (2018, August 2) retrieved 2 May 2024 from

https://medicalxpress.com/news/2018-08-obesity-worsens-skilled-nursing-facility.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.