

## Bleeding in patients treated with anticoagulants should stimulate search for cancer

## August 26 2018

Bleeding in patients treated with anticoagulants should stimulate a search for cancer, according to late breaking results from the COMPASS trial presented today at ESC Congress 2018.

Professor John Eikelboom, principal investigator, of the Population Health Research Institute, McMaster University, Hamilton, Canada, said: "In <u>patients</u> with stable <u>coronary artery disease</u> or <u>peripheral artery</u> <u>disease</u>, the occurrence of major gastrointestinal bleeding predicts a substantial increase in new gastrointestinal <u>cancer</u> diagnoses, while major genitourinary bleeding predicts a substantial increase in new genitourinary tract cancer diagnoses."

Up to one in ten patients with cardiovascular <u>disease</u> have recurrent events each year. As previously reported, the COMPASS trial found that in patients with coronary artery disease or peripheral artery disease, the combination of rivaroxaban (2.5 mg twice daily) and <u>aspirin</u> reduced cardiovascular events compared to aspirin alone, but there were more major bleeding events in the combined drug group.

For the first time today, the investigators report details on the effect of bleeding on subsequent cancer diagnoses.

Briefly, the trial enrolled 27,395 patients with chronic stable coronary or peripheral artery disease from 602 centres in 33 countries. Patients were



randomly allocated to one of three groups: 1) rivaroxaban 2.5 mg twice daily plus aspirin 100 mg once daily 2) rivaroxaban 5 mg twice daily, or 3) aspirin 100 mg once daily. Results in each of the rivaroxaban groups were compared with the aspirin alone group. The mean duration of follow up was 23 months.

The combination increased major bleeding, as defined by the International Society on Thrombosis and Haemostasis (ISTH), compared with aspirin (3.1% versus 1.9%, hazard ratio [HR] 1.70, 95% confidence interval [CI] 1.40-2.05, p

Citation: Bleeding in patients treated with anticoagulants should stimulate search for cancer (2018, August 26) retrieved 20 April 2024 from <u>https://medicalxpress.com/news/2018-08-patients-anticoagulants-cancer.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.