


Research team develops predictor for immunotherapy response in melanoma

August 20 2018



Melanoma in skin biopsy with H&E stain—this case may represent superficial spreading melanoma. Credit: Wikipedia/CC BY-SA 3.0

In a new study, researchers developed a gene expression predictor that can indicate whether melanoma in a specific patient is likely to respond to treatment with immune checkpoint inhibitors, a novel type of immunotherapy. The predictor was developed by Noam Auslander,



Ph.D., with other researchers in the Center for Cancer Research (CCR) at the National Cancer Institute (NCI), part of the National Institutes of Health, and colleagues at Harvard University, Cambridge, Mass.; the University of Pennsylvania, Philadelphia; and the University of Maryland, College Park. The study was published August 20, 2018 in *Nature Medicine*.

"There is a critical need to be able to predict how cancer <u>patients</u> will respond to this type of immunotherapy," said Eytan Ruppin, M.D., Ph.D., of NCI's newly established Cancer Data Science Laboratory, who led the study. "Being able to predict who is highly likely to respond and who isn't will enable us to more accurately and precisely guide patients' treatment."

Treatment with checkpoint inhibitors is effective for some patients with late-stage melanoma and certain other types of cancer. However, not all patients with melanoma respond to this treatment, and it can have considerable side effects. Being able to predict which patients are likely to respond and which are not would be a major clinical advance. But developing a predictor of response has been challenging, partly because of the limited number of patients who have received this relatively new form of treatment.

In this study, the investigators developed a predictor by first looking for clues in cases where the immune system appears to mount an unprompted, successful immune response to cancer, causing spontaneous tumor regression. They analyzed neuroblastoma, a type of cancer that frequently undergoes <u>spontaneous regression</u> in young children, and were able to define gene expression features that separated patients with nonregressing disease from those with regressing disease.

These features enabled the researchers to compute what they called an IMmuno-PREdictive Score (IMPRES) for each patient sample. The



higher the IMPRES score for a sample, the more likely it was to undergo spontaneous regression. To see if IMPRES could be used to predict melanoma patients' responses to checkpoint inhibitors, the authors analyzed 297 samples from several studies. They found that the predictor could identify nearly all patients who responded to the inhibitors and more than half of those who did not, making it significantly superior to all other existing published predictors. Importantly, unlike other existing predictors, IMPRES was accurate across many different melanoma patient data sets.

"We now know that immunotherapy works, but we do not understand well why a particular therapy will work for some patients but not others," said Tom Misteli, Ph.D., director of CCR at NCI. "This study is a step forward in developing tools to address this challenge, which is of practical importance to patients."

Dr. Ruppin said that while the results obtained are encouraging, they will need to be carefully evaluated in additional patient datasets. The authors also wrote that further study of this kind of predictor is now warranted in other <u>cancer</u> types for which checkpoint inhibitors have been approved.

More information: Noam Auslander et al, Robust prediction of response to immune checkpoint blockade therapy in metastatic melanoma, *Nature Medicine* (2018). DOI: 10.1038/s41591-018-0157-9

Provided by National Cancer Institute

Citation: Research team develops predictor for immunotherapy response in melanoma (2018, August 20) retrieved 25 April 2024 from <u>https://medicalxpress.com/news/2018-08-team-predictor-immunotherapy-response-melanoma.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.