

Prescribing antibiotics for children with cough does not reduce hospitalization risk

September 10 2018



Credit: CC0 Public Domain

Doctors and nurses often prescribe antibiotics for children with cough and respiratory infection to avoid return visits, symptoms getting worse or hospitalisation. In a study published in the *British Journal of General*

Practice today [Tuesday 11 September], researchers from the Universities of Bristol, Southampton, Oxford and Kings College London found little evidence that antibiotics reduce the risk of children with cough ending up in hospital, suggesting that this is an area in which unnecessary antibiotic prescribing could be reduced.

The team, funded by the National Institute for Health Research, analysed data from a study of 8,320 [children](#) (aged three months to 15 years) who had presented to their GP with cough and other respiratory infection symptoms to see whether adverse outcomes occurred within 30 days of seeing their GP.

Sixty-five (0.8 per cent) children were hospitalised and 350 (four per cent) revisited their GP due to a worsening of symptoms.

Compared with no antibiotics, there was no clear evidence that antibiotics reduced hospitalisation for children, supporting similar research findings in adults. However, there was evidence that a strategy of delayed antibiotic prescribing (giving parents or carers a prescription and advising they wait to see if symptoms worsened before using it) reduced the number of return visits to the GP.

Immediate antibiotics were prescribed to 2,313 (28 per cent) and delayed antibiotics to 771 (nine per cent).

Dr. Niamh Redmond, from the Centre for Academic Primary Care at the University of Bristol and NIHR CLAHRC West, and lead author of the study, said: "The good news is that most children who present to their GP with acute [cough](#) and respiratory infection symptoms are at low risk of hospitalisation. We know that GPs, for a variety of reasons, commonly prescribe antibiotics in these cases as a precautionary measure. However, our study shows that [antibiotics](#) are unlikely to reduce this already small risk. This means that along with other

strategies, there is real potential to reduce unnecessary antibiotic prescribing, which is a major contributor to the growing public health threat of antimicrobial resistance.

"If a GP or nurse is considering antibiotic prescribing for a child presenting with [acute cough](#), a delayed prescription may be preferable as we have shown that delayed prescribing reduces the need for further consultations."

More information: 'The impact of antibiotics for children presenting to general practice with cough on adverse outcomes' by Redmond NM et al. *British Journal of General Practice*. [early online]

Provided by University of Bristol

Citation: Prescribing antibiotics for children with cough does not reduce hospitalization risk (2018, September 10) retrieved 26 April 2024 from <https://medicalxpress.com/news/2018-09-antibiotics-children-hospitalization.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.