

Scientists unlock secret of how the brain encodes speech

September 26 2018





Credit: CC0 Public Domain

People like the late Stephen Hawking can think about what they want to say, but are unable to speak because their muscles are paralyzed. In order to communicate, they can use devices that sense a person's eye or cheek movements to spell out words one letter at a time. However, this process is slow and unnatural.

Scientists want to help these completely paralyzed, or "locked-in," individuals communicate more intuitively by developing a brain machine interface to decode the commands the brain is sending to the tongue, palate, lips and larynx (articulators.)

The person would simply try to say words and the <u>brain machine</u> <u>interface</u> (BMI) would translate into <u>speech</u>.

New research from Northwestern Medicine and Weinberg College of Arts and Sciences has moved science closer to creating speech-brain machine interfaces by unlocking new information about how the brain encodes speech.

Scientists have discovered the brain controls <u>speech production</u> in a similar manner to how it controls the production of arm and hand movements. To do this, researchers recorded signals from two parts of the brain and decoded what these signals represented. Scientists found the brain represents both the goals of what we are trying to say (speech sounds like "pa" and "ba") and the individual movements that we use to achieve those goals (how we move our lips, palate, tongue and larynx). The different representations occur in two different parts of the brain.

"This can help us build better speech decoders for BMIs, which will



move us closer to our goal of helping people that are locked-in speak again," said lead author Dr. Marc Slutzky, associate professor of neurology and of physiology at Northwestern University Feinberg School of Medicine and a Northwestern Medicine neurologist.

The study will be published Sept. 26 in the Journal of Neuroscience.

The discovery could also potentially help people with other speech disorders, such as apraxia of speech, which is seen in children as well as after stroke in adults. In speech apraxia, an individual has difficulty translating speech messages from the brain into spoken language.

How words are translated from your brain into speech

Speech is composed of individual sounds, called phonemes, that are produced by coordinated movements of the lips, tongue, palate and larynx. However, scientists didn't know exactly how these movements, called articulatory gestures, are planned by the brain. In particular, it was not fully understood how the cerebral cortex controls speech production, and no evidence of <u>gesture</u> representation in the brain had been shown.

"We hypothesized speech motor areas of the brain would have a similar organization to arm motor areas of the brain," Slutzky said. "The precentral cortex would represent movements (gestures) of the lips, tongue, palate and larynx, and the higher level cortical areas would represent the phonemes to a greater extent."

That's exactly what they found.

"We studied two parts of the brain that help to produce speech," Slutzky said. "The precentral cortex represented gestures to a greater extent than



phonemes. The inferior frontal cortex, which is a higher level speech area, represented both phonemes and gestures."

Chatting up patients in brain surgery to decode their brain signals

Northwestern scientists recorded brain signals from the cortical surface using electrodes placed in patients undergoing brain surgery to remove brain tumors. The patients had to be awake during their surgery, so researchers asked them to read words from a screen.

After the surgery, scientists marked the times when the patients produced phonemes and gestures. Then they used the recorded brain signals from each cortical area to decode which phonemes and gestures had been produced, and measured the decoding accuracy. The <u>brain</u> <u>signals</u> in the precentral cortex were more accurate at decoding gestures than phonemes, while those in the inferior frontal cortex were equally good at decoding both phonemes and gestures. This information helped support linguistic models of speech production. It will also help guide engineers in designing brain machine interfaces to decode speech from these brain areas.

The next step for the research is to develop an algorithm for <u>brain</u> machine interfaces that would not only decode gestures but also combine those decoded gestures to form words.

The paper is titled "Differential Representation of Articulatory Gestures and Phonemes in Precentral and Inferior Frontal Gyri."

Provided by Northwestern University



Citation: Scientists unlock secret of how the brain encodes speech (2018, September 26) retrieved 4 May 2024 from https://medicalxpress.com/news/2018-09-scientists-secret-brain-encodes-speech.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.