

Sensitive babies become altruistic toddlers

September 25 2018



Infant in the fNIRS (neuroimaging) lab Credit: Kathleen Krol

Our responsiveness to seeing others in distress accounts for variability in helping behavior from early in development, according to a study published September 25 in the open-access journal *PLOS Biology* by Tobias Grossmann of the University of Virginia, and colleagues.

Altruistic [behavior](#) such as helping an unfamiliar person in need is considered a key feature of cooperation in human societies. Yet our propensity to engage in altruistic acts varies considerably among individuals, ranging from extraordinarily altruistic kidney donors to highly antisocial psychopaths. Past studies have suggested that greater sensitivity to fearful faces is linked to heightened levels of prosocial behavior, which can already be seen in preschool children. Examining [responsiveness](#) to fearful faces and its variability early in human development represents a unique opportunity to shed light on the precursors of altruistic behavior.

To address this question, Grossmann and colleagues tracked eye movements to examine whether attentional responses to fear in others at seven months of age predict altruistic behavior at 14 months of age. The analysis revealed that altruistic behavior in toddlerhood was predicted by infants' attention to fearful faces but not happy or angry faces. Moreover, infants' attentional bias to fearful faces and their [altruistic behavior](#) was predicted by brain responses in the dorsolateral prefrontal cortex measured through functional near-infrared spectroscopy.

According to the authors, the findings suggests that, from early in development, variability in altruistic helping behavior is linked to our responsiveness to seeing others in distress and brain processes implicated in attentional control. These findings critically advance our understanding of the emergence of altruism in humans by identifying responsiveness to fear in others as an early precursor contributing to variability in prosocial behavior.

"Our results are in line with the notion that a caring continuum exists, along which individuals differ in their tendency to display sensitive responses to others' distress that motivate prosocial action," said Grossmann. "This study provides new insights into the nature of human altruism by uncovering its developmental and brain origins."

More information: Grossmann T, Missana M, Krol KM (2018) The neurodevelopmental precursors of altruistic behavior in infancy. *PLoS Biol* 16(9): e2005281. doi.org/10.1371/journal.pbio.2005281

Provided by Public Library of Science

Citation: Sensitive babies become altruistic toddlers (2018, September 25) retrieved 24 April 2024 from <https://medicalxpress.com/news/2018-09-sensitive-babies-altruistic-toddlers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.