

Weight loss can be boosted fivefold thanks to novel mental imagery technique, research shows

September 24 2018, by Amy Mcsweeney



Credit: CC0 Public Domain

Overweight people who used a new motivational intervention called Functional Imagery Training (FIT) lost an average of five times more

weight than those using talking therapy alone, shows new research published today by the University of Plymouth and Queensland University of Technology.

In addition, users of FIT lost 4.3cm more around their waist circumference in six months – and continued to lose [weight](#) after the [intervention](#) had finished.

Led by Dr. Linda Solbrig from the School of Psychology, the research involved 141 participants, who were allocated either to FIT or Motivational Interviewing (MI). The latter is a technique that sees a counsellor support someone to develop, highlight and verbalise their need or motivation for change, and their reasons for wanting to change.

FIT goes one step further than MI, as it makes use of multisensory [imagery](#) to explore these changes by teaching clients how to elicit and practice motivational imagery themselves. Everyday behaviours and optional app support are used to cue imagery practice until it becomes a cognitive habit.

Maximum contact time was four hours of individual consultation, and neither group received any additional dietary advice or information.

Dr. Solbrig, who completed the work as part of a Ph.D. funded by The National Institute for Health Research (NIHR) Collaboration for Leadership in Applied Health Research and Care (CLAHRC) South West Peninsula, said:

"It's fantastic that people lost significantly more weight on this intervention, as, unlike most studies, it provided no diet/physical activity advice or education. People were completely free in their choices and supported in what they wanted to do, not what a regimen prescribed."

The study showed how after six months people who used the FIT intervention lost an average of 4.11kg, compared with an average of 0.74kg among the MI group.

After 12 months – six months after the intervention had finished – the FIT group continued to lose weight, with an average of 6.44kg lost compared with 0.67kg in the MI group.

Dr. Solbrig continued:

"Most people agree that in order to lose weight, you need to eat less and exercise more, but in many cases, people simply aren't motivated enough to heed this advice – however much they might agree with it. So FIT comes in with the key aim of encouraging someone to come up with their own imagery of what change might look and feel like to them, how it might be achieved and kept up, even when challenges arise.

"We started with taking people through an exercise about a lemon. We asked them to imagine seeing it, touching it, juicing it, drinking the juice and juice accidentally squirting in their eye, to emphasise how emotional and tight to our physical sensations imagery is. From there we are able to encourage them to fully imagine and embrace their own goals. Not just 'imagine how good it would be to lose weight' but, for example, 'what would losing weight enable you to do that you can't do now? What would that look / sound / smell like?', and encourage them to use all of their senses.

"As well as being delighted by the success of the study in the short term, there are very few studies that document weight loss past the end of treatment, so to see that people continued to lose weight despite not having any support shows the sustainability and effectiveness of this intervention."

Provided by University of Plymouth

Citation: Weight loss can be boosted fivefold thanks to novel mental imagery technique, research shows (2018, September 24) retrieved 5 May 2024 from

https://medicalxpress.com/news/2018-09-weight-loss-boosted-fivefold-mental_1.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.