

Is there a benefit to switching from flash monitoring to RT-CGM for hypoglycemia?

October 12 2018



Credit: (c) Mary Ann Liebert, Inc., publishers

In follow-up to the I HART CGM study, which showed the benefit of real-time continuous glucose monitoring (RT-CGM) compared to flash monitoring for time spent in hypoglycemia among adults with type 1 diabetes at high hypoglycemia risk, researchers conducted an extension trial that assessed the effects of continuing RT-CGM or switching from flash to RT-CGM of the subsequent 8 weeks. The study design and results are published in *Diabetes Technology & Therapeutics* .

Monika Reddy, Narvada Jugnee, Sinthuka Anantharaja, and Nick Oliver, Imperial College London, U.K. coauthored the study entitled "Switching from Flash Glucose Monitoring to Continuous Glucose Monitoring on Hypoglycemia in Adults with Type 1 Diabetes at High Hypoglycemia Risk: The Extension Phase of the I HART CGM Study."

The extension study included 40 adults with T1D on intensified multiple daily insulin injections and with either impaired awareness of [hypoglycemia](#) or a recent episode of severe hypoglycemia. While both RT-CGM and flash monitoring measure interstitial fluid glucose, only RT-CGM has built-in alarms to let users know of the risk of an impending hypoglycemic event

The researchers reported a significant reduction in time in hypoglycemia among the subjects switching from flash to RT-CGM. Subjects continuing with RT-CGM for the additional 8 weeks maintained the benefits of that option related to hypoglycemia.

"Patients with a history of [severe hypoglycemia](#) associated with hypoglycemia unawareness would benefit from 'alarms and alerts,' and thus it makes sense that using a RT-CGM would show benefit in hypoglycemia reduction in this high risk population compared to using a device without alert features like flash [glucose monitoring](#)," says *DTT* Editor-in-Chief Satish Garg, MD, Professor of Medicine and Pediatrics at the University of Colorado Denver (Aurora).

More information: Monika Reddy et al, Switching from Flash Glucose Monitoring to Continuous Glucose Monitoring on Hypoglycemia in Adults with Type 1 Diabetes at High Hypoglycemia Risk: The Extension Phase of the I HART CGM Study, *Diabetes Technology & Therapeutics* (2018). [DOI: 10.1089/dia.2018.0252](https://doi.org/10.1089/dia.2018.0252)

Provided by Mary Ann Liebert, Inc

Citation: Is there a benefit to switching from flash monitoring to RT-CGM for hypoglycemia? (2018, October 12) retrieved 11 May 2024 from <https://medicalxpress.com/news/2018-10-benefit-rt-cgm-hypoglycemia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.