


How the grid cell system of the brain maps mental spaces

October 12 2018



The hippocampus is a region of the brain largely responsible for memory formation. Credit: Salk Institute

It has long been known that so-called place cells in the human hippocampus are responsible for coding one's position in space. A



related type of brain cell, called grid cells, encodes a variety of positions that are evenly distributed across space. This results in a kind of honeycomb pattern tiling the space. The cells exhibiting this pattern were discovered in the entorhinal cortex. How exactly the grid cell system works in the human brain, and in particular with which temporal dynamics, has until now been speculation. A much-discussed possibility is that the signals from these cells create maps of "cognitive spaces" in which humans mentally organize and store the complexities of their internal and external environments.

A European-American team of scientists has now been able to demonstrate, with electrophysiological evidence, the existence of grid-like activity in the <a href="https://human.com/human.c

To demonstrate the dynamics of the brain activity, the scientists performed independent measurements using two different methods. Thirty-six healthy participants were scanned using magnetoencephalography (MEG) and intracranial electroencephalography (EEG) was measured in an epileptic patient. During an MEG scan, subjects sit under a kind of helmet that measures magnetic fields caused by the electrical currents of active nerve cells. "This enabled us to record data that is an expression of the momentary total activity of the brain, without any delay" explains Tobias Staudigl,



first author of the study. He is currently conducting research at the Cedars-Sinai Medical Center in Los Angeles (USA). The participants viewed 200 pictures containing both indoor and outdoor scenes. "In addition to the MEG measurements, we also recorded their eye movements using an eye-tracker to determine how they visually explored the scenes of the images shown."

In the case of the epileptic patient, the researchers took advantage of the fact that for diagnostic purposes, prior to a brain surgery, he had been implanted with electrodes that could directly record electrical activity in the brain. He was asked to look at similar pictures with indoor and outdoor scenes, as well as with animals and faces. His eye movements were also measured, allowing the scientists to obtain an additional dataset to record the activation patterns of the <u>cells</u>.

"We looked at whether the activity patterns of the entire grid cell system have a specific structure, as has been assumed for a few years," reports Prof. Doeller. "By showing the subjects pictures of visual scenes, we were able to demonstrate that. This is the first time that this effect has been measured by MEG and EEG recordings, and it opens up many exciting opportunities for further research. For example, it could lead to new biomarkers for diseases such as Alzheimer's in the future. This is because in young adults with an increased risk of Alzheimer's disease, we have already seen that the activity of the grid cell system is reduced."

More information: Tobias Staudigl et al, Hexadirectional Modulation of High-Frequency Electrophysiological Activity in the Human Anterior Medial Temporal Lobe Maps Visual Space, *Current Biology* (2018). DOI: 10.1016/j.cub.2018.09.035

Provided by Max Planck Society



Citation: How the grid cell system of the brain maps mental spaces (2018, October 12) retrieved 3 May 2024 from https://medicalxpress.com/news/2018-10-grid-cell-brain-mental-spaces.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.