

Previous motherhood could affect hormone therapy's ability to prevent memory loss

October 12 2018



Credit: CC0 Public Domain

Researchers have established that the foggy feeling and forgetfulness that many new mothers report during and after pregnancy—known as "mom brain"— is real. But new findings from the University of British



Columbia suggest that the effect of motherhood on the brain appears to last much longer after childbirth than previously believed.

In a study published recently in the journal *Neurobiology of Aging*, researchers looked at the effect of Premarin, a type of hormone <u>therapy</u>, on the cognitive abilities of <u>female rats</u>. Hormone therapy is often prescribed to relieve menopausal symptoms such as hot flashes and headaches, but there have also been claims that it can protect against cognitive decline.

The researchers found that Premarin did affect the rats' cognitive abilities— but whether the effect was positive or negative depended on if the animal was a mother or not. Animals that had previously given birth were affected negatively, but those who had never given birth experienced a positive effect.

The findings suggest that a woman's reproductive history—whether or not she had biological children—may impact the brains ability to respond to hormones later in life.

"Previous research has suggested that our brains do change with pregnancy but it was assumed that it would bounce back a year after giving birth," said the study's lead author Liisa Galea, professor in the department of psychology, member of the Djavad Mowafaghian Centre for Brain Health and director of the graduate program in neuroscience at UBC. "In fact, we are just beginning to understand how motherhood influences the brain—and it appears that these changes may have a lasting effect long after pregnancy."

Galea and her colleagues chose to look at Premarin for this study because of a 2003 trial that concluded the drug was associated with a higher incidence of dementia in women aged 65-79. Premarin was once the most widely prescribed hormone therapy in the United States but its



use declined after the 2003 trial.

For the study, they trained rats in the Morris water maze—a behavioural task widely used in neuroscience to study spatial learning and memory in rodents. One group of rats were given the hormone therapy, while the other served as a control group and were not given any drug.

Before they were given hormone therapy, the researchers found the animals that were previously mothers performed slightly better in the maze and had more neuroplasticity—the ability to form new neural connections—than those that had never given birth.

"But what was interesting was that, after we gave them this hormone therapy, the previous moms and the non-moms responded completely opposite: the previous moms' performance was impaired, but the nonmoms' performance actually improved," said Galea.

The researchers also found that, after <u>hormone</u> therapy was administered, immune signalling increased in the previous moms but decreased in the non-moms—suggesting the body's ability to fight off infectious agents like bacteria or viruses later in life may also depend on reproductive history.

Galea said she plans on looking at the effect of other <u>hormone therapy</u> drugs on <u>cognitive abilities</u> in future research.

But, she said, the findings of this study underscore the necessity of considering reproductive history when treating menopause in aging women.

More information: Liisa A.M. Galea et al. Premarin has opposing effects on spatial learning, neural activation, and serum cytokine levels in middle-aged female rats depending on reproductive history,



Neurobiology of Aging (2018). DOI: 10.1016/j.neurobiolaging.2018.06.030

Provided by University of British Columbia

Citation: Previous motherhood could affect hormone therapy's ability to prevent memory loss (2018, October 12) retrieved 3 May 2024 from https://medicalxpress.com/news/2018-10-previous-motherhood-affect-hormone-therapy.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.