

# Safest way to dine out for those with food allergies is using up to 15 strategies

November 16 2018

---

People with food allergies know eating at a restaurant means using multiple strategies to make sure your order doesn't contain something that could send you to the hospital with anaphylaxis—a severe life-threatening reaction.

New research being presented at the American College of Allergy, Asthma and Immunology (ACAAI) Annual Scientific Meeting examined what tools people who have food allergies use to prevent allergic reactions at restaurants. Members of a food [allergy](#) network were given a 25-question survey that examined specific behaviors used in preparation for [restaurant](#) dining.

"The most frequent preventive strategies were speaking to a waiter on arrival (80 percent) and ordering food with simple ingredients (77 percent)," says Justine Ade, MD, lead author of the study. "The least used strategies were placing allergy orders separately (23 percent) and using a personal allergy card (26 percent). We found when those with food allergies used more strategies in a restaurant, the result was fewer reactions. People who used an average of 15 strategies when eating out tended to avoid having a severe allergic reaction. Those who did experience an allergic reaction were using an average of only six strategies at the time of their most severe reaction. Those same people increased their average number of strategies to 15 after experiencing a severe [reaction](#)."

The most and least used strategies among families were:

Top five:

1. Speak to waiter on arrival (80%)
2. Order food with simple ingredients (77%)
3. Double check food before eating (77%)
4. Avoid restaurants with higher likelihood of contamination (74%)
5. Review ingredients on a restaurant website (72%)

Bottom five:

1. Place food allergy order separately (23%)
2. Use personal allergy card (26%)
3. No longer eat at restaurants (39%)
4. Choose a chain restaurant (41%)
5. Go to restaurant off peak hours (44%)

"Eating out at a restaurant is a challenge for people with food allergies," says allergist Leigh Ann Kerns, MD, ACAAI member and study co-author. "Checking ingredients in the dishes that the restaurant offers ahead of time and finding strategies that work for you or your child can help to minimize the risk of reactions. If you think that you or your child may have a food allergy, see an allergist for testing. Allergists are specially trained to help you to manage your [food](#) allergies so that you can stay safe while enjoying life."

**More information:** Abstract Title: Preventing Food Allergy Reactions at Restaurants: Comparing Strategies Used Between Reactors and Non-Reactors

Provided by American College of Allergy, Asthma, and Immunology

Citation: Safest way to dine out for those with food allergies is using up to 15 strategies (2018, November 16) retrieved 20 April 2024 from <https://medicalxpress.com/news/2018-11-safest-dine-food-allergies-strategies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.