

Certain birthmarks warrant quick treatment, pediatricians say

December 26 2018



(HealthDay)—For common birthmarks, doctors should abandon the

traditional wait-and-see approach, a leading group of pediatricians says.

Instead, physicians should try to identify those that could cause scarring or [medical problems](#) and begin immediate [treatment](#), according to a new American Academy of Pediatrics guideline.

Infantile hemangiomas are bright red or bruise-like birthmarks that appear shortly after a baby is born. They're caused by extra blood vessels and appear on up to 5 percent of infants.

"The traditional approach to [infantile hemangiomas](#) was very hands-off, since most begin to go away on their own without causing problems," Dr. Ilona Frieden said in an academy news release.

"But for some hemangiomas, waiting until they cause problems misses a critical window of opportunity for treatments that can prevent significant complications such as permanent scarring, skin breakdown, or medical problems," added Frieden, vice chair of the subcommittee that created the new guideline.

These are the most common noncancerous tumors in children and are usually harmless. They may look like rubbery, bumpy red strawberry marks, or may resemble bruised swelling.

However, early identification and monitoring is essential in case treatment is required to prevent medical complications or permanent disfigurement, the guideline says.

It appeared online Dec. 24 in the journal *Pediatrics*.

Hemangiomas located on certain parts of the body are more likely to become open sores, bleed, become infected and scar. Those near the eyes, nose or mouth may affect a child's ability to see, eat or breathe,

according to the medical group.

Large hemangiomas on the nose or lips can distort growth. In rare cases, hemangiomas may grow inside the body and need to be monitored with imaging tests, the doctors said.

It's best to treat problematic hemangiomas by 1 month of age. "The goal is to keep them from getting any bigger during their period of rapid growth, or to make them shrink more quickly," said Dr. Daniel Krowchuk, chair of the clinical practice guideline subcommittee.

The recommended treatment is the beta blocker medication propranolol. Other options include oral steroids, topical medications or surgery, according to the guideline.

More information: The Vascular Birthmarks Foundation has more on [hemangioma](#).

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Certain birthmarks warrant quick treatment, pediatricians say (2018, December 26) retrieved 19 April 2024 from <https://medicalxpress.com/news/2018-12-birthmarks-warrant-quick-treatment-pediatricians.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--