


Why the sense of smell declines in old age

December 20 2018



The researchers tracked the development of stem cells using so-called confetti reporters. Credit: Helmholtz Zentrum München

As mammals age, their sense of smell deteriorates. In a study published in the journal *Cell Reports*, an interdisciplinary research team at Helmholtz Zentrum München and the University Medical Centre Mainz

investigated why this is the case. For their study, the researchers tracked the development of stem cells in the brains of mice using what are known as confetti reporters. They then analysed the complex data obtained using intelligent algorithms.

In mammals, generation of new neurons (neurogenesis) is mainly limited to early childhood and occurs in adulthood only in a few regions of the forebrain. One such exception is olfactory neurons, which develop from stem [cells](#) via several intermediate stages. "The production of these neurons diminishes with advancing age. In our recent study we wanted to find out the cellular basis and what role stem cells play in the process," says Dr. Carsten Marr, explaining the approach. He is a research group leader at the Institute of Computational Biology (ICB) of Helmholtz Zentrum München.

To shed light on this question, an interdisciplinary team of experts from the Helmholtz Zentrum München was formed that included the mathematicians Lisa Bast and Carsten Marr as well as stem cell researchers Dr. Filippo Calzolari (now Institute of Physiological Chemistry at the University Mainz) and Professor Jovica Ninkovic. "Our approach utilised what are known as confetti reporters to perform lineage tracing: In mouse brains, we induced individual stem cells and all their descendants – called clones – to light up in a specific colour", says Filippo Calzolari. In this way, the scientists could distinguish clones over time by the different colours that give the technique its name. "In the next step, we compared clones found in young and older mice to find out what contribution individual stem cells and intermediates make to the neurogenesis of mature olfactory cells", Calzolari adds.

Connect the dots

However, systematic analysis of these images proved nearly impossible for humans, in that the available data were extremely heterogeneous,

making a comparison of young and old brains difficult. Here the expertise of Carsten Marr and his team came into play. They are specialists in the quantification of single-cell dynamics, i.e. the study of which and how many cells of a large population make which cell fate decisions. To do so, the researchers use artificial intelligence methods, develop mathematical models and deduce algorithms to help analyse the image data.

"We compared the confetti measurements with several mathematical models of [neurogenesis](#)," explains Lisa Bast. "We found that the ability of self-renewal declines in old age, especially in certain intermediate stages called transit amplifying progenitors." In addition, the analysis showed that asymmetric cell division and quiescence of stem cells increased in older mice. "That means that fewer cells differentiate into [olfactory](#) cells in old age as they tend to remain in the stem cell pool and become less active. Therefore, the production comes to a halt", says Jovica Ninkovic. The work is the first in which scientists have been able to quantitatively describe the behaviour of neural [stem cells](#) in the living mammalian brain using a [mathematical model](#).

More information: Lisa Bast et al. Increasing Neural Stem Cell Division Asymmetry and Quiescence Are Predicted to Contribute to the Age-Related Decline in Neurogenesis, *Cell Reports* (2018). [DOI: 10.1016/j.celrep.2018.11.088](#)

Provided by Helmholtz Association of German Research Centres

Citation: Why the sense of smell declines in old age (2018, December 20) retrieved 25 April 2024 from <https://medicalxpress.com/news/2018-12-declines-age.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.