

Genetic changes associated with physical activity reported

December 10 2018



Credit: CC0 Public Domain

Time spent sitting, sleeping and moving is determined in part by our genes, University of Oxford researchers have shown. In one of the most detailed projects of its kind, the scientists studied the activity of 91,105

UK Biobank participants who had previously worn an activity monitor on their wrist for a week. The scientists taught machines to identify active and sedentary behavior from the huge amounts of activity monitor data.

They then combined this data with UK Biobank [genetic information](#) to reveal 14 genetic regions related to [activity](#), seven new to science, they report in *Nature Communications* today. The work paves the way for better understanding of sleep, physical activity, and their [health consequences](#). Further analysis of the human genetic data showed for the first time that increased physical activity causally lowers blood pressure.

Physical inactivity is a global public health threat and is associated with a range of common diseases including obesity, diabetes and heart disease. Changes in sleep duration are linked to heart and metabolic diseases and psychiatric disorders. The genetic analysis also showed overlap with neurodegenerative diseases, mental health wellbeing and brain structure, showing an important role for the central nervous system with respect to [physical activity](#) and sleep.

Dr. Aiden Doherty, who led the work and is based at the Big Data Institute, University of Oxford, said: "How and why we move isn't all about genes, but understanding the role genes play will help improve our understanding of the causes and consequences of physical inactivity.

"It is only by being able to study large amounts of data, such as those provided by UK Biobank, that we are able to understand the complex genetic basis of even some of the most basic human functions like moving, resting and sleeping."

The study was funded by the National Institute for Health Research (NIHR) Oxford Biomedical Research Centre, and the British Heart Foundation Centre of Research Excellence at Oxford. The study was

collaborative, and performed by a multidisciplinary team of scientists from a diverse set of fields, including machine learning, genetics, statistics, and epidemiology.

The use of machine learning in big healthcare datasets is advancing quickly, and having a profound effect on the sorts of studies that can be carried out, Dr. Karl Smith-Byrne, one of the lead analysts of the study said.

"We have carefully developed [machine learning](#) models to teach machines how to analyse complex functions like activity," he said. "These models provide exciting new insights into human [movement](#) behaviours in large studies such as UK Biobank with its half a million participants."

Professor Michael Holmes, a BHF Intermediate Clinical Research Fellow, said: "This provides scientists with a wonderful opportunity to learn much more about how genes and environment interact in our daily lives, causing us to move as we do, and possibly putting us at increased risk of disease. For instance, it might help us determine whether inactivity is a cause or a consequence of obesity."

To help identify the types of activity recorded on the wrist monitors, the researchers turned to 200 volunteers who wore a special camera that captured their activity every 20 seconds over two days. The images were compared with the activity data captured by the wrist worn monitors, providing a guide to interpreting the data.

More information: Aiden Doherty et al, GWAS identifies 14 loci for device-measured physical activity and sleep duration, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-07743-4](https://doi.org/10.1038/s41467-018-07743-4)

Provided by UK Biobank

Citation: Genetic changes associated with physical activity reported (2018, December 10)
retrieved 13 March 2024 from <https://medicalxpress.com/news/2018-12-genetic-physical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.