


Bioengineers look deeper into how electrical stimulation activates neurons

January 8 2019



Microstimulation (130 Hz, 30 s) in a mouse cortex produced a spatiotemporal response, activating a sparse population of neurons only at the onset of stimulation (red), and a dense population of neurons throughout the stimulation duration (yellow). Credit: NJ Michelson & TDY Kozai/BionicLab

Electrical stimulation of the brain is common practice in neuroscience research and is an increasingly common and effective clinical therapy for a variety of neurological disorders. However, there is limited understanding of why this treatment works at the neural level. A paper published by Takashi D. Y. Kozai, assistant professor of bioengineering at the University of Pittsburgh Swanson School of Engineering, addresses gaps in knowledge over the activation and inactivation of neural elements that affect the desired responses to neuromodulation.

The article, "Calcium activation of cortical neurons by continuous electrical stimulation: Frequency dependence, temporal fidelity, and activation density", was published in the *Journal of Neuroscience Research*. Co-investigator is Kip Ludwig, associate professor of biomedical engineering at the University of Wisconsin-Madison.

For this study, Kozai's group—the BIONIC Lab—used in vivo two-photon microscopy to capture neuronal calcium activity in the somatosensory cortex during 30 seconds of continuous electrical stimulation at varying frequencies. They imaged the population of neurons surrounding the implanted electrode and discovered that [frequency](#) played a role in neural activation—a finding that conflicted with earlier studies.

"Electrical stimulation has a large number of parameters that can be used to activate neurons, such as amplitude, pulsewidth, waveform shapes, and frequency," explained Kozai. "This makes it difficult to compare studies because different stimulation parameters are used in other studies. Based on the parameters that were previously employed, it was thought that activation occurs in a sphere centered around the electrode where neurons near the electrode would activate more than neurons far from the electrode.

"Recent research, however, shows that stimulation mostly activates

distant neurons whose axons are very close to the [electrode](#) by transmitting action potentials backward to the neuron cell body," he continued. "We demonstrate that both of these things can be true depending on stimulation frequency and duration."

According to Kozai, the fact that researchers can use varying stimulation parameters to activate different [neurons](#) in the same location has huge implications in basic science research. The findings will allow them to activate different neural circuits with the same implant to elicit different behaviors. Beyond its research applications, Kozai believes that this knowledge may also help in clinical settings.

"Empirical evidence in the field suggests that frequency plays a role in deep brain stimulation, but the why and how have puzzled scientists since the beginning," said Kozai. "This research is a first glimpse into understanding the mechanisms underlying the role of frequency in clinical therapies. In the long-term, this research could also give insight on how to activate distinct glial and vascular populations, which could have a prolonged impact on behavior, attention, and tissue regeneration."

Kozai believes that more research needs to be done to understand neuronal activation properties and hopes that this work will lead to new tools in neuroscience and improved neuromodulation therapy by explaining why [electrical stimulation](#) produces its effective responses.

More information: Nicholas J. Michelson et al, Calcium activation of cortical neurons by continuous electrical stimulation: Frequency dependence, temporal fidelity, and activation density, *Journal of Neuroscience Research* (2018). [DOI: 10.1002/jnr.24370](https://doi.org/10.1002/jnr.24370)

Provided by University of Pittsburgh

Citation: Bioengineers look deeper into how electrical stimulation activates neurons (2019, January 8) retrieved 13 July 2024 from <https://medicalxpress.com/news/2019-01-bioengineers-deeper-electrical-neurons.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.