


Blood-brain barrier breakdown an early driver of dementia, study says

January 14 2019



Artist's rendering that depicts leaks in capillaries that supply the brain. Credit: Arthur Toga Lab/Keck School of Medicine of USC

Leaky capillaries in the brain portend early onset of Alzheimer's disease as they signal cognitive impairment before hallmark toxic proteins amyloid and tau appear, new USC research shows.

The findings, which appear in the Jan. 14 issue of *Nature Medicine*,

could help with earlier diagnosis and suggest new targets for drugs that could slow down or prevent the onset of the disease.

The number of Americans with Alzheimer's is expected to more than double to about 14 million in 40 years, according to the Centers for Disease Control and Prevention. There are currently five Alzheimer's drugs approved by the U.S. Food and Drug Administration that temporarily help with memory and thinking problems, but none that treat the underlying cause of the disease or slow its progression. Researchers believe that successful treatment will eventually involve a combination of drugs aimed at multiple targets.

USC's five-year study, which involved 161 [older adults](#), showed that people with the worst memory problems also had the most leakage in their brain's blood vessels—regardless of whether abnormal proteins amyloid and tau were present.

"The fact that we're seeing the blood vessels leaking, independent of tau and independent of amyloid, when people have [cognitive impairment](#) on a mild level, suggests it could be a totally separate process or a very early process," said senior author Berislav Zlokovic, director of the Zilkha Neurogenetic Institute at the Keck School of Medicine of USC. "That was surprising that this [blood-brain barrier](#) breakdown is occurring independently."

In healthy brains, the cells that make up blood vessels fit together so tightly they form a barrier that keeps stray cells, pathogens, metals and other unhealthy substances from reaching brain tissue. Scientists call this the blood-brain barrier. In some aging brains, the seams between cells loosen, and the [blood vessels](#) become permeable.

"If the blood-brain barrier is not working properly, then there is the potential for damage," said co-author Arthur Toga, director of the USC

Stevens Neuroimaging and Informatics Institute at the Keck School of Medicine. "It suggests the vessels aren't properly providing the nutrients and blood flow that the neurons need. And you have the possibility of toxic proteins getting in."

Participants in the study had their memory and thinking ability assessed through a series of tasks and tests, resulting in measures of cognitive function and a "clinical dementia rating score." Individuals diagnosed with disorders that might account for cognitive impairment were excluded. The researchers used neuroimaging and cerebral spinal fluid analysis to measure the permeability, or leakiness, of capillaries serving the brain's hippocampus, and found a strong correlation between impairment and leakage.

"The results were really kind of eye-opening," said first author Daniel Nation, an assistant professor of psychology at the USC Dornsife College of Letters, Arts and Sciences. "It didn't matter whether people had amyloid or tau pathology; they still had cognitive impairment."

The researchers cautioned that their findings represent a snapshot in time. In future studies, they hope to get a better sense of how soon cognitive problems occur after blood vessel damage appears. Zlokovic said it's unlikely that scientists will soon abandon amyloid and tau as Alzheimer's biomarkers, "but we should be adding some vascular biomarkers to our toolkit."

More information: Blood–brain barrier breakdown is an early biomarker of human cognitive dysfunction, *Nature Medicine* (2019).

[DOI: 10.1038/s41591-018-0297-y](https://doi.org/10.1038/s41591-018-0297-y) ,
www.nature.com/articles/s41591-018-0297-y

Provided by University of Southern California

Citation: Blood-brain barrier breakdown an early driver of dementia, study says (2019, January 14) retrieved 10 April 2024 from <https://medicalxpress.com/news/2019-01-blood-brain-barrier-breakdown-early-driver.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.