

Levodopa + carbidopa does not modify disease in early Parkinson

January 24 2019



(HealthDay)—For patients with early Parkinson disease, treatment with

levodopa combined with carbidopa has no disease-modifying effect, according to a study published in the Jan. 24 issue of the *New England Journal of Medicine*.

Constant V.M. Verschuur, M.D., from Amsterdam Neuroscience, and colleagues randomly assigned patients with early Parkinson disease to receive either [levodopa](#) (three times per day) in combination with carbidopa for 80 weeks (early-start group) or placebo for 40 weeks followed by levodopa in combination with carbidopa for 40 weeks (delayed-start group; 222 and 223 patients, respectively).

The researchers found that the change in the Unified Parkinson's Disease Rating Scale (UPDRS) score was -1.0 ± 13.1 and -2.0 ± 13.0 points in the early-start and delayed-start groups, respectively, from baseline to week 80 (difference, 1.0 point; 95 percent confidence interval, -1.5 to 3.5 ; $P = 0.44$). Between weeks 4 and 40, the rate of symptom progression as measured in UPDRS points per week was 0.04 ± 0.23 and 0.06 ± 0.34 in the early-start and delayed-start groups, respectively (difference, -0.02 ; 95 percent confidence interval, -0.07 to 0.03). Between weeks 44 and 80, the corresponding rates were 0.10 ± 0.25 and 0.03 ± 0.28 (difference, 0.07 ; two-sided 90 percent confidence interval, 0.03 to 0.10); the difference did not meet the criterion for noninferiority of early versus delayed receipt of levodopa.

"Whether higher doses of the drug, longer periods of administration, or initiation of the drug at later stages of the disease could alter the course of Parkinson disease warrants evaluation in future trials," the authors write.

Several authors disclosed financial ties to [pharmaceutical companies](#), including Merck.

More information: [Abstract/Full Text \(subscription or payment may](#)

[be required](#)

[Editorial \(subscription or payment may be required\)](#)

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Levodopa + carbidopa does not modify disease in early Parkinson (2019, January 24)
retrieved 25 April 2024 from

<https://medicalxpress.com/news/2019-01-levodopa-carbidopa-disease-early-parkinson.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.