

Pathogen research could aid prediction, response to anthrax and other epidemic diseases

January 15 2019, by Margaret Nagle



Credit: University of Maine

Better prediction of the emergence, spread and evolution of the environmentally transmitted pathogen that causes anthrax is the focus of a National Science Foundation award to the University at Albany, State University of New York and the University of Maine.

Wendy Turner, University at Albany assistant professor of biological sciences, is leading the research team on the four-year, nearly \$2.5 million project. Co-principal investigator is Pauline Kamath, UMaine assistant professor of animal health. They will be joined by scientists from the University of Pretoria, University of Namibia, University of Oslo and University of Hohenheim.

Anthrax is a serious infectious disease caused by the bacteria *Bacillus anthracis*, according to the Centers for Disease Control and Prevention (CDC). The bacteria is an environmentally persistent pathogen that naturally occurs in soil, and can infect wild and domestic herbivore animals that inhale or ingest spores in soil, plants or water.

The variation in anthrax outbreaks worldwide hinders successful prediction and response, according to the researchers. There is a lack of understanding of the factors driving geographic differences in the ecology of the pathogen, as well as the pattern of disease outbreaks.

The scientists will conduct research in two [national parks](#) in southern Africa that differ in the timing and severity of anthrax outbreaks. They will investigate the roles of host, pathogen and environment to understand how the pathogen-host interaction evolves and contributes to the differences in anthrax occurrences in the two study areas.

In Etosha National Park, Namibia, there are smaller outbreaks annually during wet seasons that primarily affect zebra. In Kruger National Park, South Africa, larger outbreaks tend to affect browsing kudu in dry seasons about every 10 years.

The project will focus on host and environment processes to understand how tradeoffs in pathogen survival and transmission affect pathogen diversity, host resistance and disease incidence, and ultimately, how these processes may drive host-pathogen coevolution.

The research, using genomics, and statistical and dynamic modeling, has implications for public health, agriculture and biosecurity. It also could add to the understanding of other epidemic and emerging diseases that similarly have a variety of transmission modes, high environmental survival and wide host range. Researchers will build models predicting anthrax transmission dynamics across ecosystems.

The research will facilitate development of predictive tools to better manage public health and related policies for complex, multihost zoonotic diseases, such as anthrax.

Humans can contract anthrax if they come in contact with infected animals or contaminated animal products, according to the CDC. In addition, people can develop the disease if the spores are inhaled, or enter the bloodstream through a wound, or by ingestion or injection.

The CDC notes that an anthrax vaccine for animals developed in 1937 reduced the incidence of the disease in humans. More than a decade later, a human vaccine for the disease was developed.

Throughout the 20th century, [anthrax](#) has been weaponized, including during wartime and, most recently, as a form of bioterrorism.

Provided by University of Maine

Citation: Pathogen research could aid prediction, response to anthrax and other epidemic diseases (2019, January 15) retrieved 14 June 2024 from <https://medicalxpress.com/news/2019-01-pathogen-aid-response-anthrax-epidemic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.