

## Teen birth control use up, but still too many unwanted pregnancies

January 15 2019, by Serena Gordon, Healthday Reporter



(HealthDay)—Today's teens are better at using birth control when they



first become sexually active, but many unexpected pregnancies still occur, new research finds.

Teens who didn't use birth control during their first month of sexual activity faced nearly a fourfold increase in the risk of an unwanted <u>pregnancy</u> within three months, the study found.

"Our findings suggest that early information about and access to contraception may help teenagers to avoid unwanted pregnancy," said study author Dr. Mara Murray Horwitz. She's a research fellow in Harvard Medical School's Department of Population Medicine.

Access to the full range of birth control options, such as birth control pills, implants and intrauterine devices (IUDs), increased more over time in white <u>women</u> and in women in higher income groups, according to Murray Horwitz.

Women between the ages of 18 and 24 see the highest rates of unintended pregnancy, according to background information in the study. Unintended pregnancies are also more common in Hispanic and <u>black women</u>, as well as in women in lower-income groups, the researchers said.

Unplanned pregnancies are associated with delayed pregnancy care, premature birth and low birth weight. Lowering the rates of unintended pregnancy rates is a national public health priority, the researchers added.

To see what effect birth control has had over the years, Murray Horwitz and her colleagues reviewed data from a nationally representative survey that occurred in stages, beginning in 1973. Answers from more than 25,000 women were included.



The average age at which female teens began having sex—17—didn't really change over the years.

But the use of birth control did improve. The initiation of contraception *before* the first sexual experience rose from less than 10 percent in the 1970s to more than 25 percent in the 2000s. The rate of birth control initiation during the first sexual experience was about 40 percent. The most common method used was the male condom, the study said.

Rates of timely birth control use (within the first month of sexual activity) were highest in <u>white women</u>, at around 85 percent. Hispanic women saw the most dramatic increase in early contraceptive use—from 38 percent in the 1970s to 72 percent in 2010-2014.

White women were the only racial group to see an increase in the use of what the researchers called "effective" contraception—from 21 percent to a peak of 40 percent in the 2000s. Effective birth control methods were those with lower rates of pregnancy, including the IUD, hormonal implants, sterilization, and <u>birth control pills</u> and patches.

Income also mattered. Those in the two highest groups were more likely to have timely use of effective methods of birth control. But women in the lowest income group saw a drop in the use of effective methods from 24 to 20 percent during the survey period.

Murray Horwitz said that while the study wasn't designed to tease out the reasons for improved used of contraception around sexual debut, she suspects that increased access to birth control methods, such as condoms, as well as more education and awareness, likely played a role.

She said pediatricians and parents can help by making sure teens are educated and have access to <u>birth</u> control methods.



Dr. John Steever, a pediatrician at Mount Sinai Adolescent Health Center in New York City, agreed that it's important for teens to have information.

"There's been an emphasis on talking to kids about abstinence and waiting to have sex, but when you look at the age of sexual debut, it hasn't changed in 40 years. Our children are going to be having sex, and probably before they're in a long-term monogamous relationship," said Steever, who wasn't involved in the study.

"Given that, the way to reduce the risk of unwanted pregnancy is to talk about <u>birth control</u> and healthy sexual relationships. Parents can talk about abstinence, too, but if you talk to them, kids will have a much better idea how to protect themselves," he explained.

And don't just have "the talk" with your child, Steever advised. "Start early and have multiple small conversations to help them learn about positive, healthy relationships," he said.

The study was published online Jan. 15 in Pediatrics.

**More information:** Planned Parenthood offers more about <u>birth</u> <u>control options</u>.

Copyright © 2019 HealthDay. All rights reserved.

Citation: Teen birth control use up, but still too many unwanted pregnancies (2019, January 15) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2019-01-teen-birth-unwanted-pregnancies.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.