

A half-million fewer deaths from lung cancer over 40 years

February 1 2019



Credit: CC0 Public Domain

Lung cancer death rates in men have plummeted since 1979 with nearly 500,000 fewer deaths than would have been expected if the mortality rate had stayed the same, according to the latest figures released by

Cancer Research U.K. ahead of World Cancer Day.

In the last 40 years [lung cancer](#) death rates in men have dropped by nearly 60 percent. Research led to the crucial discovery that [smoking](#) caused lung [cancer](#) half way through the last century.

Since then growing public awareness of the dangers of tobacco, and subsequent regulations like the [smoking ban](#) and advertising restrictions, has helped to halt its fatal impact.

An increase in the number of people having access to treatment, especially surgery, has also contributed to the falling death rate.

Michelle Mitchell, Cancer Research U.K.'s chief executive, said:
"Following on from decades of research it's fantastic to see the number of men dying from lung cancer falling year on year. Cancer Research U.K. helped prove the link between tobacco and cancer and the reduction in the number of people who smoke has prevented millions of deaths worldwide.

"This World Cancer Day it's important to celebrate how much things have improved, but also to renew our commitment to saving the lives of more people with cancer. More still needs to be done to bring down the number of people affected by lung cancer and develop better and kinder treatments. Thanks to public donations the charity can continue to invest in research to keep fighting this devastating disease."

Smoking rates for women peaked decades later than they did for men. As a result, [lung cancer death rates](#) for women only started to fall in 2008. Since then they have dropped by 3 percent.

But around 19,300 men and around 16,300 women still die from lung cancer every year and it is still the most common cause of cancer [death](#).

Joe Suckling, 61, from Derby was first diagnosed with lung cancer in 2008 after suffering from a persistent cough. He'd been a smoker but had given up three months before his diagnosis. Following surgery and radiotherapy he had a final scan which detected another shadow on his lung. He was then told he had a different kind of lung cancer.

He said: "It was hard to hear that I had lung cancer twice, but it's encouraging to learn about new research that's underway and the progress that scientists are making to help more people beat lung cancer in the future.

"Fortunately, my surgery was successful. I know how lucky I am to be here, and I want to do everything I can to help raise awareness of the disease and the importance of research."

Smoking remains the single biggest cause of [lung](#) cancer, responsible for 72 percent of cases in the U.K. Today 17 percent of men and 13 percent of women in the U.K. smoke.

Tobacco continues to devastate millions of lives and continued effort is needed as smoking rates will not come down on their own. The most successful way to quit is through Stop Smoking Services, which is why the government must ensure [local authorities](#) have the funding they need to deliver them throughout local communities.

Provided by Cancer Research UK

Citation: A half-million fewer deaths from lung cancer over 40 years (2019, February 1) retrieved 10 May 2024 from <https://medicalxpress.com/news/2019-02-half-million-deaths-lung-cancer-years.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.