


Higher hospital readmission rates for cardiac patients in Northern vs. Southern Ontario: Importance

February 28 2019



Acute myocardial infarction (AMI): cumulative incidence for all-cause death and readmission by Northern and Southern Ontario. Credit: *Canadian Journal of Cardiology*

Patients hospitalized with heart attacks, heart failure, atrial fibrillation or stroke in Northern Ontario, Canada, were more likely to be readmitted

to the hospital and repeatedly hospitalized after discharge than those living in Southern Ontario. Yet, no geographical differences were found in 30-day survival. A new study published in the *Canadian Journal of Cardiology* recommends providing access to timely transitional care by clinicians who have the knowledge and expertise to treat patients recently discharged from hospital as one of several strategies necessary to reduce hospital readmission rates.

"Hospital readmissions are costly to the healthcare system, but they are also potentially avoidable. Reducing readmission may lead to lower costs of care, which we found tended to be higher in Northern Ontario at one-year follow-up. Our study highlights some of the differences in outcomes and the need for new strategies to try to reduce readmission rates for cardiac disease [patients](#) in the North," said Douglas Lee, MD, Ph.D., the Cardiovascular Program Lead and Senior Scientist at the Institute for Clinical Evaluative Sciences and the Ted Rogers Centre for Heart Research. Dr. Lee is also associated with the Peter Munk Cardiac Centre of the University Health Network and is a Professor of Medicine at the University of Toronto, Ontario, Canada.

The study compared death and readmission risks of patients admitted with acute myocardial infarction (AMI), [heart failure](#) (HF), stroke or [atrial fibrillation](#) (AF) in Northern compared to Southern Ontario. Northern Ontario regions tend to be more rural, have fewer doctors, and less access to specialist care and important diagnostic tests. However, even when urban or rural region of residence was considered, patients with these four conditions were more likely to be rehospitalized in the North, despite accounting for several factors including bed availability and length of hospital stay.

A key finding was that patients living in the North did not differ from those in the South in their survival at 30 days, and the survival of patients with HF, AF, and stroke did not differ even after one year.

Data were captured from several databases including the Canadian Institute for Health Information Discharge Abstract Database for all hospitalizations and readmissions from April 1, 2005 to March 31, 2015. The report focused on almost 48,000 patient hospitalizations in the Northern region and more than 465,000 hospitalizations in the Southern region. Generally similar observations were found for HF, AF, and stroke.

"Our study supports the finding that geographic factors may be of greater importance for readmission outcomes than rurality, because all cardiovascular conditions exhibited higher readmission rates in both rural and urban regions in the North," noted Dr. Lee, who hopes that the different regions can learn from each other through greater exchange of ideas and strategies.

The authors suggest that among the multiple potential reasons for high [readmission](#) rates in Northern Ontario, reduced access to post-discharge care is one plausible explanation. "Cardiovascular medicine is becoming increasingly complex, and it will require the combined efforts of specialists and [primary care physicians](#) to result in the best outcomes and quality of care for our patients," commented Dr. Lee. He suggests that programs such as the Ontario Telemedicine Network, mobile health services, and travel grants may lead to improved health accessibility in Northern regions.

More information: "Comparison of Readmission and Death Among Cardiac Patients in Northern vs. Southern Ontario," *Canadian Journal of Cardiology*, [DOI: 10.1016/j.cjca.2019.01.004](https://doi.org/10.1016/j.cjca.2019.01.004)

Provided by Elsevier

Citation: Higher hospital readmission rates for cardiac patients in Northern vs. Southern Ontario: Importance (2019, February 28) retrieved 26 April 2024 from <https://medicalxpress.com/news/2019-02-higher-hospital-readmission-cardiac-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.