


Here's what you need to know about melioidosis, the deadly infection that can spread after floods

February 14 2019, by Sanjaya Senanayake



Credit: AI-generated image ([disclaimer](#))

The devastating Townsville floods have receded but the clean up is being complicated by the appearance of a serious bacterial infection known as melioidosis. [One person has died](#) from melioidosis and nine others have been diagnosed with the disease over the past week.

The bacteria that causes the disease, *Burkholderia pseudomallei*, is a hardy bug that lives around 30cm deep in clay soil. Events that disturb the soil, such as [heavy rains and floods](#), bring *B. pseudomallei* to the surface, where it can enter the body through a small break in the skin (that a person may not even be aware of), or by other means.

Melioidosis may cause an ulcer at that site, and from there, spread to multiple sites in the body via the bloodstream. Alternatively, the bacterium can be inhaled, after which it travels to the lungs, and again may spread via the bloodstream. Less commonly, it's ingested.

Melioidosis was [first identified](#) in the early 20th century among drug users in Myanmar. These days, cases tend to [concentrate](#) in Southeast Asia and the top end of northern Australia.

What are the symptoms?

Melioidosis can cause a variety of symptoms, but often [presents as a non-specific flu-like illness with](#) fever, headache, cough, shortness of breath, disorientation, and pain in the stomach, muscles or joints.

People with underlying conditions that impair their [immune system](#) – such as diabetes, chronic kidney or lung disease, and [alcohol use disorder](#) – are more likely to become sick from the infection.

The majority of healthy people infected by [melioidosis](#) won't have any symptoms, but just because you're healthy, doesn't mean you're immune: [around 20% of people](#) who become acutely ill with melioidosis have no identifiable risk factors.

People typically become sick between one and 21 days after being infected. But in a minority of cases, this incubation period can be much longer, with [one case occurring](#) after 62 years.

How does it make you sick?

While most people who are sick with melioidosis will have an acute illness, lasting a short time, a small number can have a grumbling infection persisting for months.

One of the most common manifestations of melioidosis is infection of the lungs (pneumonia), which can occur either via infection through the skin, or inhalation of *B. pseudomallei*.

The challenges in treating this organism, though, arise from its ability to form large pockets of pus (abscesses) in virtually any part of the body. Abscesses can be harder to treat with antibiotics alone and may also require drainage by a surgeon or radiologist.

How is it treated?

Thankfully, a number of antibiotics can kill *B. pseudomallei*. Those recovering from the infection will need to take antibiotics for [at least three months](#) to cure it completely.

If you think you might have melioidosis, seek medical attention immediately. A prompt clinical assessment will determine the level of care you need, and allow antibiotic therapy to be started in a timely manner.

Your blood and any obviously infected body fluids (sputum, pus, and so on) will also be tested for *B. pseudomallei* or other pathogens that may be causing the illness.

While cleaning up after these floods, make sure you wear gloves and boots to minimise the risk of [infection](#) through breaks in the skin. This

especially applies to people at highest risk of developing melioidosis, namely those with diabetes, alcohol use disorder, chronic kidney disease, and lung disease.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Here's what you need to know about melioidosis, the deadly infection that can spread after floods (2019, February 14) retrieved 1 May 2024 from <https://medicalxpress.com/news/2019-02-melioidosis-deadly-infection.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--