


## Exercise in morning or afternoon to shift your body clock forward

February 20 2019



New research in *The Journal of Physiology* suggests that exercise could counter the effects of jet lag, shift work, and other disruptions to the body's internal clock, helping individuals adjust to shifted schedules. Credit: Kathryn Elliott.

Exercise can shift the human body clock, with the direction and amount of this effect depending on the time of day or night in which people exercise. That's according to new research in published in *The Journal of*

*Physiology.* These findings suggest exercise could counter the effects of jet lag, shift work, and other disruptions to the body's internal clock (e.g. military deployments) helping individuals adjust to shifted schedules.

The circadian "body" clock is the 24 hour cycle that regulates many physiological processes including sleeping and eating. Many factors affect this [internal body clock](#) including light and time cues. Exercise has been known to cause shifts in the [circadian clock](#) however very little is known about this effect.

This study found that exercising at 7 am or between 1 and 4 pm advanced the body clock to an earlier time, and exercising between 7 and 10 pm delayed the body clock to a later time. Exercising between 1 and 4 am and at 10 am, however, had little effect on the body clock, and the phase-shifting effects of exercise did not differ based on age nor gender.

The researchers at University of California, San Diego and Arizona State University examined body clocks following exercise in 101 participants for up to five and a half days. The baseline timing of each participant's body clock was determined from urine samples collected every 90 minutes to measure the time of the evening rise in melatonin and the peak of melatonin several hours later. Participants then walked or ran on a treadmill at a moderate intensity for one hour per day for three consecutive days. They exercised at one of eight different times of day or night, but each individual exercised at the same time on all three days or nights. The timing of the body clock was re-assessed following the third exercise session.

Given that the subjects tested were more physically active than average, the results might not translate to the average person. Further research will look at combining exercise with bright lights and melatonin to see what impact this has on body clocks, as well as examining the effect of

changes in exercise duration and intensity on the body clock.

Shawn Youngstedt, first author on the paper, said:

"Exercise has been known to cause changes to our body clock. We were able to clearly show in this study when exercise delays the body clock and when it advances it. This is the first study to compare exercise's effects on the body clock, and could open up the possibility of using [exercise](#) to help counter the negative effects of jet lag and [shift work](#)."

**More information:** Shawn D. Youngstedt et al, Human Circadian Phase-Response Curves for Exercise, *The Journal of Physiology* (2019). [DOI: 10.1113/JP276943](https://doi.org/10.1113/JP276943)

Provided by The Physiological Society

Citation: Exercise in morning or afternoon to shift your body clock forward (2019, February 20) retrieved 24 April 2024 from <https://medicalxpress.com/news/2019-02-morning-afternoon-shift-body-clock.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--