

New nanomedicines for a more efficient and less aggressive treatment of prostate cancer

February 18 2019



Credit: Asociación RUVID

In Europe, prostate cancer is the most common type of cancer among



men with an incidence greater than 100 cases per 100,000 individuals. Furthermore, it is currently the second most common cause of cancerrelated deaths among men.

This pathology mainly affects elderly men: nine in 10 deaths take place after 65 years of age. Therefore, it represents a very serious health concern in developed countries, where the population of elderly men is majoritarian. In this context, even though docetaxel is the most used chemotherapy treatment for <u>advanced prostate cancer</u>, its high systemic toxicity limits both the dose as well as the duration of the therapy, which noticeably reduces its antitumour efficiency.

Now, a team of researchers from Valencia's Polytechnic University (UPV), the Spanish National Research Council (CSIC), the La Fe University and Polytechnical Hospital and the Prince Philip Research Centre (CIPF), have developed a new nanomedicine to treat non-metastatic prostate cancer.

The tests conducted open the door for the future application of very effective treatments with very low doses of docetaxel.

"The antitumour activity of docetaxel was improved up to a hundredfold in the in vitro studies on prostate cancer <u>cells</u> with PSMA receptors," highlights Pablo Botella, head scientist of the CSIC in the Chemical Technology Institute, mixed centre of the UPV and CSIC.

Following the in vitro study, the work is currently in a phase of in vivo pre-clinical tests. Meanwhile, <u>clinical trials</u> – phase I – should begin in under two years on a reduced number of patients.

Facilitating the diagnosis

Furthermore, researchers have also developed a new nanomarker which



enables the identification of tumour tissue in the prostate with great accuracy. "Thanks to the PET image technique, we can flag the nanomedicine with a <u>radioactive isotope</u> which makes it possible to locate the malign tissue in the <u>prostate</u> with unicellular precision, which will facilitate the diagnosis of the disease in its initial stages, thus making its early detection easier," adds Botella.

These results have been published in the journal *ACS Omega*, of the American Chemical Society (ACS).

The new nanomedicine developed by the researchers is a system based on porous silica nanoparticles, functionalised with the docetaxel medicine and a monoclonal antibody (anti-FOLH1) which selectively interacts with the PSMA receptors of <u>prostate cancer</u> cells. The system shows great stability in biological fluids and all its components are approved by the Food and Drug Administration (FDA, United States) for clinical use.

The presence of the monoclonal antibody promotes the cellular internalisation of the nanomedicine into the malignant cells (at least 25 percent more compared to simply administering the medicine, as this spreads to any cell, whether cancerous or not). This way, the nanomedicine reaches more tumour cells. Furthermore, the use of a specific anchoring protocol of docetaxel to the nanoparticles enables its selective release inside the cancerous cells.

Provided by Asociacion RUVID

Citation: New nanomedicines for a more efficient and less aggressive treatment of prostate cancer (2019, February 18) retrieved 3 May 2024 from https://medicalxpress.com/news/2019-02-nanomedicines-efficient-aggressive-treatment-prostate.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.