

## **Optimum amount of dopamine improves cognitive ability**

February 19 2019



Credit: Jeremy Keith via Flickr

The 'right' amount of dopamine in the brain makes study participants better at solving certain cognitive tasks. This is the conclusion of Bryant Jongkees after experiments and a literature review. Ph.D. defence on 21 February.

Do you find it easy to switch between Instagram and your study assignments? Or to remember someone's phone number? And what about saying no to a slice of that cake that yet another colleague has brought because its their birthday? If so, you may just have the right amount of dopamine in your brain.



For his Ph.D. research, Bryant Jongkees studied the relationship between dopamine and the ease with which people carry out what are termed cognitive tasks. In his experiments, the <u>study participants</u> were better at their tasks if the level of dopamine in their brains was artificially increased.

## Fruit juice

"For the experiment, I gave 20 study participants a <u>fruit juice</u> containing tyrosine, a building block for dopamine that can be found in your regular diet," said Jongkees. "I then got them to do memory tasks. For instance, they had to look at a series of letters and then say each time if a letter that appeared on the screen had already appeared in the series. When they were given tyrosine, their performance was significantly better than when these same people were given a placebo. They were faster and made fewer mistakes."

In his research, Jongkees also concluded that there is a link between the amount of dopamine and the number of times that people blink their eyes. He did this on the basis of an extensive literature review that involved collecting the conclusions of more than 100 previous studies on this topic. People who blink more often probably have more dopamine in their brains.

## Schizophrenia and Parkinson's disease

The frequency of blinking can be an important source of information in clinical research. According to Jongkees, there is an optimum amount of dopamine that people should have in their brains. If the amount in your brain differs too much from this, it can cause problems. Patients with Parkinson's disease have a significant dopamine deficiency in the brain, and thus perform less well in cognitive tasks than healthy people.



Patients with Parkinson's disease also blink their eyes less often, a clear sign of their dopamine deficiency. Schizophrenia, on the other hand, is a consequence of too much dopamine, and this can cause patients to hallucinate, be easily distracted and blink their eyes extremely frequently.

Jongkees believes that the frequency of blinking could be used in <u>clinical</u> <u>research</u> to determine which stage of the disorder the patient is in. The lower the frequency of blinking, the further advanced the Parkinson's disease. The frequency of blinking can also give some idea of whether the patient is responding well to medication that s supposed to increase their level of <u>dopamine</u>: If the patient blinks more often, this is a sign that the medication is working.

## Magic pill

Will there soon be a 'magic pill' that is full of tyrosine and can solve concentration and memory problems? Not by a long way, says Jongkees. "We shouldn't forget that a laboratory is a very controlled setting. The tasks in the lab don't just translate to real exams or tests. What is more, there are many more factors in the outside world that influence a student's exam results. A next step would be to test the power of tyrosine in everyday life."

Provided by Leiden University

Citation: Optimum amount of dopamine improves cognitive ability (2019, February 19) retrieved 4 May 2024 from

https://medicalxpress.com/news/2019-02-optimum-amount-dopamine-cognitive-ability.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.