

Study finds rise in overdoses from opioids in diarrhea drug

February 4 2019



Credit: CC0 Public Domain

A Rutgers study has uncovered a new threat in the opiate epidemic: Overdoses of loperamide, an over-the-counter diarrhea medication, have been steadily increasing in number and severity nationwide over five

years.

Misuse of the drug is particularly alarming because non-[prescription drugs](#) like loperamide are inexpensive, readily available online and in retail stores, undetectable on routine drug tests and can be bought in large quantities at one time.

"When used appropriately, loperamide is a safe and effective treatment for diarrhea—but when misused in large doses, it is more toxic to the heart than other opioids which are classified under federal policy as controlled dangerous substances," said senior author Diane Calello, executive and medical director of the New Jersey Poison Control Center at Rutgers University Medical School. "Overdose deaths occur not because patients stop breathing, as with other opioids, but due to irregular heartbeat and cardiac arrest."

The study, published in the journal *Clinical Toxicology*, found increasing instances in which patients with [opioid use disorder](#) misused loperamide to prevent or self-treat withdrawal symptoms. To a lesser extent, some took massive doses to get a high similar to heroin, fentanyl or oxycodone.

The researchers reviewed cases of patients with loperamide exposure reported by medical toxicologists to a national registry, the Toxicology Investigators' Consortium, from January 2010 to December 2016, reporting a growing number of cases over that time frame. The Poison Control Center database (National Poison Data System) also reported a 91 percent increase during that time period, which in 2015 included 916 exposures and two deaths.

The patients reporting misuse in the Rutgers study were predominantly young Caucasian men and women. The majority used extremely high doses of loperamide, the equivalent of 50 to 100 two-milligram pills per

day.

Calello noted that New Jersey Poison Control has reported several fatalities or near-fatalities from loperamide in the past 12 months.

"Possible ways of restricting loperamide misuse include limiting the daily or monthly amount an individual could purchase, requiring retailers to keep personal information about customers, requiring photo identification for purchase and placing medication behind the counter," she said. "Most importantly, consumers need to understand the very real danger of taking this medication in excessive doses."

More information: Vincent R. Lee et al, Loperamide misuse to avoid opioid withdrawal and to achieve a euphoric effect: high doses and high risk, *Clinical Toxicology* (2018). [DOI: 10.1080/15563650.2018.1510128](https://doi.org/10.1080/15563650.2018.1510128)

Provided by Rutgers University

Citation: Study finds rise in overdoses from opioids in diarrhea drug (2019, February 4) retrieved 19 April 2024 from

<https://medicalxpress.com/news/2019-02-overdoses-opioids-diarrhea-drug.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|