

Q&A: Do opioids actually help with chronic pain? The FDA wants to know

February 27 2019, by Stacey Burling



Credit: CC0 Public Domain

Scott Gottlieb, commissioner of the Food and Drug Administration, told *The Washington Post* this week that his agency will require drug companies to study whether opioids that are already on the market actually work for chronic pain. While these drugs often have been prescribed for patients with chronic pain, particularly in the past, there is

controversy about how much good they do beyond the first few weeks after an injury.

Efforts to reduce the amount of prescription opioids in circulation have ramped up in recent years as the country has struggled to combat the growing opioid addiction problem. That is primarily fueled now by heroin and fentanyl, but [prescription drugs](#) also find their way to the street and may give future addicts their first exposure to opioids.

Gottlieb also told The Post that he will require [drug companies](#) to determine whether the drugs can paradoxically make patients more sensitive to [pain](#). That, along with tolerance to the drugs, can lead to higher doses and dependence. Patients experiencing withdrawal may also have increased pain.

A statement from Gottlieb on opioid policy posted Tuesday by the FDA did not address whether companies would be required to study their drugs in chronic pain patients. It did say the agency will promote development of non-addictive pain drugs and that it will support [drug](#) packaging that allows appropriate acute pain patients to get prescriptions that contain only enough medication for a day or two. It also will step up enforcement efforts against illicit opioids.

Q: Why is more research on opioids and chronic pain important?

A: It could lead to changes in labeling and prescribing rules. There's growing recognition that authorities and physicians underestimated the addictive potential of the drugs, which were once used primarily for acute pain, severe cancer pain or pain at the end of life. The FDA allowed long-term use of OxyContin in 2001. A local pharmaceutical executive has been outspoken in arguing that that was a mistake.

Q: What do we know already about long-term opioid use?

A: The Centers for Disease Control and Prevention found no studies of long-term use of opioids that compared them to other treatments. A 2017 report from the National Academies of Sciences, Engineering and Medicine concluded that the current evidence does not support long-term use for chronic pain.

Gottlieb is seeking more rigorous studies.

In a 2018 study, Erin Krebs, a researcher at the Minneapolis VA Health Care System, compared two groups of patients with serious and chronic back, hip and knee pain. The group not on opioids tried an average of four pain medications, requiring careful trial and error under close medical supervision. Compared with the second group, who took opioids, those who had other therapies scored the same on measures of function, but reported less severe pain and many fewer side effects.

Surgeons have begun using opioids more sparingly during their patients' hospitalization and recovery. That has reduced the number of people who felt they needed the drugs long-term. Pre-surgical education can also reduce use of pain medication afterwards.

Q: What has the government done to restrict opioid prescribing?

A: New Medicare rules went into effect this year adding extra oversight if doctors exceeded certain [opioid](#) dosages. While the new rules do not prohibit higher doses, they add to physician and pharmacist workloads. Many private insurers already had such rules. Many chronic pain patients say doctors have required them to taper to lower doses or have referred them to pain experts.

Q: What about patients who are already taking these drugs for chronic pain?

A: Many chronic pain patients have been vocal in their opposition to greater restrictions on medications they say have been life altering in a positive way. Many say they were nearly incapacitated by pain before opioids allowed them to participate more fully in life. Some experts who have worked with such patients believe that people who are on high doses and are doing well should be treated differently than new [patients](#). Cutting their doses too fast could lead to greater disability, depression, suicide and illicit drug use.

Q: What works to relieve [chronic pain](#)?

A: Experts endorse multi-modal treatment, a combination of judicious use of medications along with counseling, diet, help with sleep, exercise, meditation and yoga. But true multi-modal programs can be hard to find and they can be expensive.

©2019 Philly.com

Distributed by Tribune Content Agency, LLC.

Citation: Q&A: Do opioids actually help with chronic pain? The FDA wants to know (2019, February 27) retrieved 3 May 2024 from <https://medicalxpress.com/news/2019-02-qa-opioids-chronic-pain-fda.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.