

Have sleep apnea? Using your CPAP device consistently may slow memory loss

March 18 2019




Illustration of obstruction of ventilation. Credit: Habib M'henni / public domain

Mild cognitive impairment (MCI) refers to having problems with your



memory and decision-making abilities. Usually, people with MCI experience few if any problems with performing their daily activities. Experts say that MCI could be a stage between normal aging and Alzheimer's disease.

A growing number of studies suggest that obstructive sleep apnea (OSA), or "<u>sleep-disordered breathing</u>," is associated with a higher risk for memory problems and for problems with thinking and making decisions. OSA is a common condition in older adults who have MCI. Symptoms include disturbed sleep due to reduced or momentarily stopped breathing at night.

If your healthcare practitioner diagnoses you with OSA, she may recommend treatment with <u>continuous positive airway pressure</u> (CPAP), a pressurized mask worn during sleep. CPAP treatment eliminates <u>obstructive sleep apnea</u>. However, to be effective, people must use the CPAP machine regularly for at least four hours per night. Only 30 to 60 percent of people who are prescribed CPAP therapy use the machine regularly as prescribed. Additionally, few studies have confirmed whether or not CPAP treatment delays <u>cognitive decline</u>. Now researchers in a new study examined whether using CPAP treatment had an effect on slowing cognitive decline. Their study was published in the *Journal of the American Geriatrics Society*.

Researchers enrolled 68 participants with MCI, aged 55 to 89, who were patients at sleep and geriatric clinics from September 2012 through December 2014. Some of the participants used CPAP machines while others did not.

Researchers reported that participants who had MCI and who used the CPAP machine experienced cognitive improvement. The participants also experienced significantly less daytime sleepiness and improved attention levels.



What's more, said the researchers, the group who had MCI but didn't use the CPAP machine experienced significant cognitive decline.

The researchers said that their study, "Memories," is the first clinical trial to show that using a CPAP machine can significantly improve cognitive function for people with MCI.

More information: Kathy C. Richards et al, CPAP Adherence May Slow 1-Year Cognitive Decline in Older Adults with Mild Cognitive Impairment and Apnea, *Journal of the American Geriatrics Society* (2019). <u>DOI: 10.1111/jgs.15758</u>

Provided by American Geriatrics Society

Citation: Have sleep apnea? Using your CPAP device consistently may slow memory loss (2019, March 18) retrieved 3 May 2024 from <u>https://medicalxpress.com/news/2019-03-apnea-cpap-device-memory-loss.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.