

How does estrogen protect bones? Unraveling a pathway to menopausal bone loss

March 25 2019



Estrogen induces osteocyte expression of Sema3A, which acts on its receptor on osteocytes to promote survival, resulting in reduced osteoclastic bone resorption and enhanced osteoblastic bone formation. Sema3A-activated sGC-cGMP



signaling through Nrp1 protected osteocytes from apoptosis. Credit: Department of Cell Signaling,TMDU

Osteoporosis is a condition in which bones become weak and prone to fractures. Fractures typically occur in the wrist, spine or hip, and can often lead to permanently impaired mobility. Women over 50 are at a high risk of developing osteoporosis, which may be due to the loss of estrogen that occurs after menopause. While studies have linked estrogen levels to bone health, the exact details of this connection are not entirely clear. Researchers at Tokyo Medical and Dental University (TMDU) have described a new molecular link between estrogen and bone aging, which may eventually lead to new strategies to treat postmenopausal osteoporosis.

Bone is a complex tissue, consisting of a matrix of proteins and minerals that give it the flexibility and strength to support body movement. Bone also contains several types of specialized cells, including osteocytes, that help to maintain this matrix. Over a person's lifetime, many factors can affect how healthy <u>bone</u> structure is maintained. One of these factors is the female sex hormone, estrogen.

"Over the last few decades, we've learned that estrogen plays an important role in maintaining a functional bone matrix," corresponding authors Tomoki Nakashima and Hiroshi Takayanagi explain. "Exactly how estrogen does this, though, is not fully understood. Our laboratory recently discovered that bone matrix is maintained by a protein called Sema3A, which is secreted by osteocytes. This led us to suspect that there might be a mechanistic relationship between estrogen and Sema3A."

Sema3A does, indeed, appear to be linked to estrogen. The researchers



found that blood serum levels of the protein decrease in premenopausal women as they get older, and drop even further once women reach menopause. But how, at the biological level, are estrogen and Sema3A related? And what is Sema3A doing in <u>bone tissue</u>?

To answer these questions, the researchers turned to mice. Scientists know that after removing the ovaries of mice, subsequent estrogen loss causes their bone mass to decrease. This can be prevented, however, by giving the mice an extra supply of the hormone. The team took advantage of this to explore the function of Sema3A.

"When we genetically removed Sema3A from the <u>osteoblast</u> lineage cells (including osteocytes) of mice, we found that intravenous estrogen no longer prevented bones from deteriorating after an ovariectomy," lead author Mikihito Hayashi says. "In addition, we found that Sema3A sets off a chain of signaling events that promote the survival of osteocytes in these <u>mice</u>. This suggests that Sema3A serves as a key mechanistic link between estrogen and bone maintenance. We believe that as women lose <u>estrogen</u> with age and Sema3A levels drop off, osteocytes begin to die and bone loses the ability to maintain its supportive structure."

The researchers hope that the discovery of Sema3A as a major player in bone health and the signaling molecules it controls in bone may offer new therapeutic approaches to treating osteoporosis.

More information: Mikihito Hayashi et al, Autoregulation of Osteocyte Sema3A Orchestrates Estrogen Action and Counteracts Bone Aging, *Cell Metabolism* (2019). <u>DOI: 10.1016/j.cmet.2018.12.021</u>

Provided by Tokyo Medical and Dental University



Citation: How does estrogen protect bones? Unraveling a pathway to menopausal bone loss (2019, March 25) retrieved 4 June 2024 from <u>https://medicalxpress.com/news/2019-03-estrogen-bones-unraveling-pathway-menopausal.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.