

Mental health issues increased significantly in young adults over last decade

March 14 2019



Credit: CC0 Public Domain

The percentage of young Americans experiencing certain types of mental health disorders has risen significantly over the past decade, with no corresponding increase in older adults, according to research published by the American Psychological Association.

"More U.S. adolescents and [young adults](#) in the late 2010s, versus the

mid-2000s, experienced serious psychological distress, major depression or suicidal thoughts, and more attempted suicide," said lead author Jean Twenge, Ph.D., author of the book "iGen" and professor of psychology at San Diego State University. "These trends are weak or non-existent among [adults](#) 26 years and over, suggesting a generational shift in mood disorders instead of an overall increase across all ages."

The research was published in the *Journal of Abnormal Psychology*.

Twenge and her co-authors analyzed data from the National Survey on Drug Use and Health, a nationally representative survey that has tracked drug and alcohol use, mental health and other health-related issues in individuals age 12 and over in the United States since 1971. They looked at survey responses from more than 200,000 adolescents age 12 to 17 from 2005 to 2017, and almost 400,000 adults age 18 and over from 2008 to 2017.

The rate of individuals reporting symptoms consistent with major depression in the last 12 months increased 52 percent in adolescents from 2005 to 2017 (from 8.7 percent to 13.2 percent) and 63 percent in young adults age 18 to 25 from 2009 to 2017 (from 8.1 percent to 13.2 percent). There was also a 71 percent increase in young adults experiencing serious psychological distress in the previous 30 days from 2008 to 2017 (from 7.7 percent to 13.1 percent). The rate of young adults with suicidal thoughts or other suicide-related outcomes increased 47 percent from 2008 to 2017 (from 7.0 percent to 10.3 percent).

There was no significant increase in the percentage of older adults experiencing depression or psychological distress during corresponding time periods. The researchers even saw a slight decline in psychological distress in individuals over 65.

"Cultural trends in the last 10 years may have had a larger effect on

mood disorders and suicide-related outcomes among [younger generations](#) compared with older generations," said Twenge, who believes this trend may be partially due to increased use of electronic communication and [digital media](#), which may have changed modes of social interaction enough to affect mood disorders. She also noted research shows that young people are not sleeping as much as they did in previous generations.

The increase in digital media use may have had a bigger impact on teens and young adults because [older adults](#)' social lives are more stable and might have changed less than teens' social lives have in the last ten years, said Twenge. Older adults might also be less likely to use digital media in a way that interferes with sleep—for example, they might be better at not staying up late on their phones or using them in the middle of the night.

"These results suggest a need for more research to understand how digital communication versus face-to-face social interaction influences [mood disorders](#) and suicide-related outcomes and to develop specialized interventions for younger age groups," she said.

Given that the increase in mental health issues was sharpest after 2011, Twenge believes it's unlikely to be due to genetics or economic woes and more likely to be due to sudden cultural changes, such as shifts in how teens and young adults spend their time outside of work and school. If so, that may be good news, she said.

"Young people can't change their genetics or the economic situation of the country, but they can choose how they spend their leisure time. First and most important is to get enough sleep. Make sure your device use doesn't interfere with sleep—don't keep phones or tablets in the bedroom at night, and put devices down within an hour of bedtime," she said. "Overall, make sure digital media use doesn't interfere with

activities more beneficial to mental health such as face-to-face social interaction, exercise and sleep."

More information: "Age, Period, and Cohort Trends in Mood Disorder and Suicide-Related Outcomes in a Nationally Representative Dataset, 2005-2017," by Jean Twenge, PhD, San Diego State University; Thomas Joiner, PhD, and Mary Duffy, BA, Florida State University; Bell Cooper, PhD, Lynn University; and Sara Binau, Pomona College. *Journal of Abnormal Psychology*, published online March 14, 2019. DOI: [10.1037/abn0000410](https://doi.org/10.1037/abn0000410)

Provided by American Psychological Association

Citation: Mental health issues increased significantly in young adults over last decade (2019, March 14) retrieved 26 April 2024 from <https://medicalxpress.com/news/2019-03-mental-health-issues-significantly-young.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--