

The glass half-full: How optimism can bias prognosis in serious illness

April 25 2019



Credit: CC0 Public Domain

Most people think of optimism as a good thing—a positive outlook in challenging circumstances. But in reality, it's a psychological state that can be "contagious" in a bad way. A new study, published in the journal *Psycho-Oncology*, details how a seriously ill patient's optimism can impact a clinician's survival prognosis in palliative care conversations.

Senior author Robert Gramling, M.D., D.Sc., associate professor of family medicine and the Miller Chair in Palliative Medicine at the University of Vermont's Larner College of Medicine, and colleagues at Purdue University, the University of Rochester and University of California San Francisco, state that clinicians have a duty to estimate prognosis as accurately as possible. If [survival](#) is overestimated, Gramling and his coauthors write, "these errors in judgment can prevent [patients](#) from making timely decisions about their end-of-life care."

For their study, the researchers enrolled 189 [hospital patients](#) with advanced cancer undergoing palliative care consultations at two geographically distant sites. A total of 41 palliative care clinicians participated in the recorded consultations.

Using established measurement tools, the group calculated the frequency and distribution of such variables as "clinician overestimation of survival time," "patient (trait) dispositional optimism," and "patient prognostic (state) optimism" and tracked patient survival and date of death and correlated it to clinical judgement.

The group's findings showed a generally high level of both dispositional and prognostic optimism just before palliative care consultation, as well as a correlation between higher levels of patient optimism and clinicians' greater likelihood of overestimating survival, even after adjusting for clinical markers of survival time.

"Our study suggests that patient-level optimism might exert an unforeseen influence over palliative care clinicians' prognostic judgments," write the study authors, who add that "If so, then raising clinician awareness about these effects and including de-biasing steps in prognostication skills training may lead to more accurate estimates."

Data analyses for the study took place at the Vermont Conversation Lab

at the University of Vermont, where Gramling and his colleagues both conduct research and develop training sessions through their TalkVermont program to help clinicians gain conversational proficiency.

More information: Luke T Ingersoll et al. The contagion of optimism: The relationship between patient optimism and palliative care clinician overestimation of survival among hospitalized patients with advanced cancer, *Psycho-Oncology* (2019). [DOI: 10.1002/pon.5080](https://doi.org/10.1002/pon.5080)

Provided by University of Vermont

Citation: The glass half-full: How optimism can bias prognosis in serious illness (2019, April 25) retrieved 21 June 2024 from <https://medicalxpress.com/news/2019-04-glass-half-full-optimism-bias-prognosis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.