

## Kids can get UTIs, too

April 16 2019, by Len Canter, Healthday Reporter

---



(HealthDay)—Adults aren't the only ones susceptible to urinary tract infections, or UTIs. They can occur in kids, even infants, if bacteria get into the urinary tract, often from the bowel.

Any child can get a UTI. But some kids are more prone than others, and girls get them more often than boys.

A UTI doesn't always cause symptoms, and a very [young child](#) can't voice his or her discomfort. Be on the lookout for these common signs.

## Under Age 2

- Fever—call your doctor if your baby has a [fever](#) of 100.4 degrees or higher.
- Vomiting or diarrhea.
- Acting irritable.
- Not wanting to eat.

## Older Kids

- Pain or burning while urinating.
- Urinating or trying to urinate often.
- Urine that's a strange color and/or smells bad.
- Pain in the lower back or lower abdomen.
- Fever.

Once an infection is confirmed with a urine test, antibiotics will knock it out. Be sure you give all the medication as directed.

Though the average UTI isn't serious, not getting prompt treatment can be. That's why most doctors will have you start antibiotics even before getting results of a urine test. Just a two- or three-day delay in treatment can harm the kidneys.

To help avoid UTIs, make sure kids go to the bathroom when they need to and talk to them about not holding their urine. See to it that they drink plenty of fluids—remember that urine flushes out harmful bacteria.

**More information:** The U.S. National Institute of Diabetes and Digestive and Kidney Diseases has more on [UTIs in kids](#), from causes to treatments.

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Kids can get UTIs, too (2019, April 16) retrieved 7 May 2024 from <https://medicalxpress.com/news/2019-04-kids-utis.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--