

Metformin may help patients maintain weight loss long-term

April 22 2019



Credit: CC0 Public Domain

In the Diabetes Prevention Program (DPP) clinical trial and its long-term follow-up study, among the persons who lost at least 5 percent of their body weight during the first year, long-term maintenance of weight loss

was more likely if they had been assigned to treatment with metformin than with placebo or lifestyle intervention. Being older and losing a greater amount of weight in the first year were the most consistent predictors of lasting weight loss. Findings from a cohort study are published in *Annals of Internal Medicine*.

Weight loss plays a central role in efforts to prevent or delay type 2 diabetes. As such, identifying good predictors of long-term [weight loss](#) could lead to improved weight management. The DPP was a randomized controlled trial that compared weight loss and diabetes prevention with metformin, intensive [lifestyle intervention](#) (ILS), or placebo among more than 3,000 participants with prediabetes, and its Outcomes Study (DPPOS) observed patients after the masked treatment phase ended. The DPP/DPPOS is the largest and longest-running study of metformin for prevention of diabetes.

After the first year, twice as many participants in the ILS group versus the metformin group lost at least 5 percent of their [body weight](#). However, those who were assigned to the metformin group had greater success at maintaining their weight loss between years 6 and 15, while patients were still being followed. The researchers noted that greater weight loss at one year predicted long-term weight loss across all groups. Early weight loss was also important with regard to diabetes incidence. The researchers found that cumulative diabetes incidence rates over 15 years were lower among those who lost at least 5 percent of their weight in the first year.

According to the study authors, [future research](#) should focus on whether metformin could be a useful intervention for weight loss maintenance after initial weight loss with lifestyle interventions, antiobesity drugs or devices, or bariatric surgery.

More information: Study:

<http://annals.org/aim/article/doi/10.7326/M18-1605>

Editorial: <http://annals.org/aim/article/doi/10.7326/M19-0782>

Provided by American College of Physicians

Citation: Metformin may help patients maintain weight loss long-term (2019, April 22) retrieved 25 April 2024 from

<https://medicalxpress.com/news/2019-04-metformin-patients-weight-loss-long-term.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.