


Scientists get sly, use deception to fight cancer

April 15 2019



Hebrew University's Prof. Rotem Karni and Polina Cohen-Denichenko. Credit: Hebrew University of Jerusalem


Scientists Get Sly, Use Deception to Fight Cancer. Hebrew University Researchers Create Decoys that Block RNA-Binding Proteins from

Spreading Cancer

In recent years, it's become clear that RNA-binding proteins play a major role in cancer growth. These proteins, active in all cells but especially so in cancer cells, bind to RNA [molecules](#) and accelerate cancer cell growth. Unfortunately, no [cancer treatment](#) has targeted these proteins. Until now.

In the upcoming issue of *Nature Communications*, Professor Rotem Karni and his team at the Hebrew University of Jerusalem (HU) present a new technology to fight cancer. They designed decoy molecules that trick RNA-binding proteins into binding with them. Once bound, these RNA-binding proteins are no longer able to bind with the natural RNA molecules in cancer cells and lose their cancer-promoting activity. These "sterile" RNA molecule decoys are called oligonucleotides.

"Our technology is a new approach in the war on cancer. By understanding the biological function of RNA-binding proteins we successfully designed decoy molecules that inhibit these proteins and move us ever closer to creating an anti-cancer drug," shared Professor Karni.



Meet oligonucleotide, the RNA-binding decoy molecule. Credit: Hebrew University of Jerusalem

Prof. Karni and his HU Institute for Medical Research-Israel Canada (IMRIC) team, led by Ph.D. student Polina Cohen-Denichenko, developed several decoy molecules that inhibit the RNA-binding proteins that speed-up brain and breast [RK1]cancer growth. To test the decoys, they treated brain cancer cells with decoy molecules. When the cells were then injected into healthy mice, the cancer cells did not replicate and, soon after, the tumors died off.

Though this study tested the efficacy of decoy molecules on breast and brain [cancer cells](#), Karni explained that his technology enables scientists to tailor-make decoys for other types of cancer, thereby streamlining and improving treatment for [cancer](#) patients. "We still need to examine the toxicity of the decoy molecules and to test their efficacy on animals before we can move on to humans," cautioned Karni. "However, I'm optimistic, given that we've already succeeded at creating decoy oligonucleotides that inhibit RNA binding proteins in other kinds of cancers."

More information: Polina Denichenko et al. Specific inhibition of splicing factor activity by decoy RNA oligonucleotides, *Nature Communications* (2019). [DOI: 10.1038/s41467-019-09523-0](https://doi.org/10.1038/s41467-019-09523-0)

Provided by Hebrew University of Jerusalem

Citation: Scientists get sly, use deception to fight cancer (2019, April 15) retrieved 26 April 2024 from <https://medicalxpress.com/news/2019-04-scientists-sly-deception-cancer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--