


A big neck may mean you need to improve your health

May 22 2019





Credit: CC0 Public Domain



Neck circumference predicts a deadly cluster of cardiovascular risk factors, according to research presented at the Asian Pacific Society of Cardiology Congress (APSC) 2019.

The congress takes place 22 to 26 May in Pasay City and is organised by the Philippine Heart Association. The European Society of Cardiology (ESC) and APSC are holding joint scientific sessions as part of the ESC Global Activities programme.

Metabolic syndrome refers to the cluster of diabetes or prediabetes, abdominal obesity, high blood lipids, and high blood pressure. It is estimated that around one quarter of the world's population has metabolic syndrome and are three times more likely to have a heart attack or stroke.

"Metabolic syndrome is becoming a global problem with increased prevalence," said Dr. Pacifico D. Gines III, of the Adventist Medical Centre Manila in Pasay City. "We hypothesised that <u>neck</u> circumference might be a simple and quick way to identify those affected, so they can make <u>lifestyle changes</u> and receive treatment to prevent <u>heart attack</u> and stroke."

The study examined the relationship between neck circumference and the components of metabolic syndrome and defined cut-off values. The study included 160 adults who underwent a medical check-up. Of those, 26 (16%) had metabolic syndrome based on <u>waist circumference</u>, blood pressure, fasting blood sugar and lipid levels.

Neck circumference was significantly higher when participants had any one of the following: <u>high blood pressure</u>, diabetes, and dyslipidaemia. Higher neck circumference was correlated with lower high-density



lipoprotein (HDL) cholesterol, the good type of cholesterol. Higher neck circumference was also linked with raised triglycerides and with elevated fasting blood glucose.

Neck circumference over 40 cm for men 36 cm for women identified adults with metabolic syndrome. Dr. Gines noted that all participants of the study were Filipinos. "Nevertheless, I believe that the cut-off values may be applicable to other Asians with the same body build as Filipinos," he said.

"The study found that neck circumference is a significant predictor of metabolic syndrome and was more accurate than waist circumference which is affected by breathing and stomach fullness," said Dr. Gines. "The results suggest that neck circumference can be used as a screening tool for metabolic syndrome. It is easy to measure during regular checkups."

"People with metabolic syndrome should eat a balanced diet, maintain a healthy body weight, exercise regularly, and have regular appointments with their doctor to check progress," he added.

Dr. Eugene Reyes, Scientific Chair of APSC 2019, said: "Metabolic syndrome is an increasing problem in the Philippines and Asia Pacific region due to decreases in physical activity and rising consumption of high carbohydrate and poor quality foods including many fast food chains. Curbing the growth of metabolic syndrome is urgently needed to avoid strokes and heart attacks."

Professor Michel Komajda, a Past President of the ESC and course director of the ESC programme at APSC 2019, said: "Metabolic syndrome is a deadly condition and efforts to identify those affected should be encouraged. This study suggests that neck circumference, and not only waist <u>circumference</u>, is a good marker of the metabolic



syndrome. Patients need to emphasise a healthy lifestyle and in particular be more physically active, eat less, and consume a balanced diet. Medication may be required to help control risk factors."

More information: Mohammad G. Saklayen. The Global Epidemic of the Metabolic Syndrome, *Current Hypertension Reports* (2018). DOI: 10.1007/s11906-018-0812-z

Provided by European Society of Cardiology

Citation: A big neck may mean you need to improve your health (2019, May 22) retrieved 28 April 2024 from https://medicalxpress.com/news/2019-05-big-neck-health.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.