

# Breastfeeding struggles linked to postpartum depression in mothers

May 29 2019, by Stephanie Liu

---



Stephanie Liu with her daughter, Madi. Credit: Stephanie Liu

As a doctor, I encourage mothers to breastfeed. Breastfeeding is

affordable, [helps with bonding](#) and [has health benefits for both the infant and mother](#).

In my [medical practice](#), many [new moms](#) come to see me because they are having difficulties breastfeeding. Before having a child of my own, I would do a basic physical screen that included checking the [infant's oral cavity](#) and [checking the mother's nipples to look for any structural problems that could make breastfeeding difficult](#).

Once I completed the initial screen, I would direct the mom to a breastfeeding clinic to see a certified lactation consultant.

I was so focused on the physical aspects of breastfeeding that I did not realize the psychological impact of being unable to breastfeed until I had my own daughter, Madi.

## **Breastfeeding pain and guilt**

Breastfeeding was one of the things I looked forward to most when I was pregnant. In [medical school](#) I learned about the [bond between mothers and babies when they are breastfeeding](#). I could not wait to experience this.

However, breastfeeding Madi turned out to be more challenging than I anticipated. I struggled to get her to latch and when she did latch it was very painful. As a result, my milk supply was insufficient. For the first two weeks, I supplemented with formula and was racked with guilt that I was not doing the best for Madi.

My experience with breastfeeding changed how I interact with my patients that struggle to breastfeed their infants. Rather than only doing the initial screen looking for physical causes of difficult breastfeeding, I now ask "How is difficulty breastfeeding affecting you?"

I ask this question because I felt like an inadequate mother when I was not able to breastfeed, but was too ashamed to talk about it. Since starting to ask this question, I have had patients express concern that they may have symptoms of [postpartum depression \(PPD\)](#) or felt like a horrible mother for being unable to breastfeed.

Are women who struggle with breastfeeding at an increased risk of PPD? Let's examine the evidence.

## Higher rates of postpartum depression

There is recent evidence that suggests women with difficulty breastfeeding may be at risk for postpartum depression. One [large study of over 2,500 women](#) found that women who had negative breastfeeding experiences were more likely to have symptoms of depression:

"Compared with women with no early neonatal signs of breastfeeding difficulty, we found that women who had [negative feelings](#) about breastfeeding and reported severe pain while nursing soon after birth were more likely to experience postpartum depression at two months."

In the United States, statistics show that [only 25 percent of mothers exclusively breastfeed their infants to the recommended minimum six months](#), and [10 percent of new mothers experience postpartum depression](#).

Another study [published in \*Maternal and Child Health Journal\*](#) found that the effect of breastfeeding on postpartum [mental health](#) differed according to whether the woman during her pregnancy had planned to breastfeed her infant or not. Women who had intended to breastfeed their infant, but were unable to breastfeed postpartum, had higher rates of [postpartum](#) depression.

## There are other safe and healthy options

As parents, we intend to provide the best for our babies, so difficulty [breastfeeding](#) may lead to significant amounts of stress.

As a [family doctor](#), I know that [breast milk](#) is the optimal feeding choice for [health benefits](#), but as a mom, I know the extreme pressures that we are placed under as [women](#) to produce milk every time our baby needs it.

This is why I always support the idea to breastfeed if you can, to reach out for support, and if you are struggling, there are other safe and healthy options to ensure your baby is well fed.

**More information:** Cristina Borra et al. New Evidence on Breastfeeding and Postpartum Depression: The Importance of Understanding Women's Intentions, *Maternal and Child Health Journal* (2014). [DOI: 10.1007/s10995-014-1591-z](#)

Stephanie Watkins et al. Early Breastfeeding Experiences and Postpartum Depression, *Obstetrics & Gynecology* (2011). [DOI: 10.1097/AOG.0b013e3182260a2d](#)

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Breastfeeding struggles linked to postpartum depression in mothers (2019, May 29) retrieved 4 May 2024 from <https://medicalxpress.com/news/2019-05-breastfeeding-struggles-linked-postpartum->

[depression.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.